

# Unit 3: SOFTWARE PROCESS WORKFLOWS



**Dr. P. Dileep Kumar Reddy**  
**Professor-Dean-R&D, IPR, IIC**  
**CSE Department**

**Narsimha Reddy Engineering College (Autonomous)**  
**Secunderabad, Telangana State, India- 500100.**

**Ph.No: 09959845657**



**NARSIMHA REDDY ENGINEERING COLLEGE**  
**UGC AUTONOMOUS INSTITUTION**

Maisammaguda (V), Kompally - 500100, Secunderabad, Telangana State, India

**UGC - Autonomous Institute**  
Accredited by **NBA & NAAC** with '**A**' Grade  
Approved by **AICTE**  
Permanently affiliated to **JNTUH**

# SOFTWARE PROCESS WORKFLOWS

- The term workflows is used to mean a thread of cohesive and mostly sequential activities, Workflows are mapped to product artifacts There are seven top-level workflows:
  1. **Management workflow:** controlling the process and ensuring win conditions for all stakeholders
  2. **Environment workflow:** automating the process and evolving the maintenance environment
  3. **Requirements workflow:** analyzing the problem space and evolving the requirements artifacts.
  4. **Design workflow:** modeling the solution and evolving the architecture and design artifacts
  5. **Implementation workflow:** programming the components and evolving the implementation and deployment artifacts
  6. **Assessment workflow:** assessing the trends in process and product quality.
  7. **Deployment workflow:** transitioning the end products to the user

Figure 8-1 illustrates the relative levels of effort expected across the phases in each of the top-level workflows.




FIGURE 8-1. Activity levels across the life-cycle phases

## 4.2 ITERATION WORKFLOWS

- Iteration consists of a loosely sequential set of activities in various proportions, depending on where the iteration is located in the development cycle. Each iteration is defined in terms of a set of allocated usage scenarios. An individual iteration's workflow, illustrated in Figure 8-2, generally includes the following sequence:
  - Management: iteration planning to determine the content of the release and develop the detailed plan for the iteration; assignment of work packages, or tasks, to the development team.
  - Environment: evolving the software change order database to reflect all new baselines and changes to existing baselines for all product, test, and environment components
  - Requirements: analyzing the baseline plan, the baseline architecture, and the baseline requirements set artifacts to fully elaborate the use cases to be demonstrated at the end of this iteration and their evaluation criteria; updating any requirements set artifacts to reflect changes necessitated by results of this iteration's engineering activities.
  - Design: Evolving the baseline architecture and the baseline design set artifacts to elaborate fully the design model and test model components necessary to demonstrate against the evaluation criteria allocated to this iteration; updating design set artifacts to reflect changes necessitated by the results of this iteration's engineering activities.

- **Implementation:** developing or acquiring any new components, and enhancing or modifying any existing components, to demonstrate the evaluation criteria allocated to this iteration; integrating and testing all new and modified components with existing baselines (previous versions).
- **Assessment:** evaluating the results of the iteration, including compliance with the allocated evaluation criteria and the quality of the current baselines; identifying any rework required and determining whether it should be performed before deployment of this release or allocated to the next release; assessing results to improve the basis of the subsequent iteration's plan.
- **Deployment:** transitioning the release either to an external organization (such as a user, independent verification and validation contractor, or regulatory agency) or to internal closure by conducting a post-mortem so that lessons learned can be captured and reflected in the next iteration.




FIGURE 8-2. The workflow of an iteration

- Iterations in the inception and elaboration phases focus on management, requirements, and design activities. Iterations in the construction phase focus on design, implementation, and assessment. Iterations in the transition phase focus on assessment and deployment. Figure 8-3 shows the emphasis on different activities across the life cycle. An iteration represents the state of the overall architecture and the complete deliverable system. An increment represents the current progress that will be combined with the preceding iteration to form the next iteration; figure 8-4, an example of a simple development life cycle, illustrates the differences between iterations and increments.




FIGURE 8-3. Iteration emphasis across the life cycle




FIGURE 8-4. A typical build sequence associated with a layered architecture

1. Define the terms 'model' and 'view'. What are the three different aspects of software architecture from management's perspective?
  2. Explain the significance of software architecture in modern software development process.
  3. What does each of the views (design, process, component, deployment) address in the software architecture? Explain with an example.
  4. What are the seven workflows in the life cycle?
  5. What levels of activity takes place in these workflows during each of the four phases (inception, elaboration, construction and transition).
  6. Define iteration. Discuss the sequence of activities in an iteration workflow.
  7. Bring out the differences between iterations and increments along with suitable diagrams.
-



Thank You..

# CHECKPOINTS OF THE PROCESS AND ITERATIVE PROCESS PLANNING



**Dr. P. Dileep Kumar Reddy**

**Professor-Dean-R&D, IPR, IIC**

**CSE Department**

**Narsimha Reddy Engineering College (Autonomous)**

**Secunderabad, Telangana State, India- 500100.**

**Ph.No: 09959845657**



**NARSIMHA REDDY ENGINEERING COLLEGE**

**UGC AUTONOMOUS INSTITUTION**

Maisammaguda (V), Kompally - 500100, Secunderabad, Telangana State, India

**UGC - Autonomous Institute**  
Accredited by **NBA & NAAC** with '**A**' Grade  
Approved by **AICTE**  
Permanently affiliated to **JNTUH**

# CHECKPOINTS OF THE PROCESS AND ITERATIVE PROCESS PLANNING

## INTRODUCTION

- Three types of joint management reviews are conducted throughout the process:
  - Major Milestones: these system wide events are held at the end of each development phase. They provide visibility to system wide issues synchronize the management and engineering perspectives and verify that the aims of the phase have been achieved.
  - Minor Milestones: these iteration-focused events are conducted to review the content of an iteration in detail and to authorize continued work.
  - Status Assessments: These periodic events provide management with frequent and regular insight into the progress being made.
- Each of the four phases-inception, elaboration, construction and transition consists of one or more iterations and concludes with a major milestone when a planned technical capability is produced in demonstrable form. Iteration represents a cycle of activities for which there is a well-defined intermediate result-a minor milestone- captured with two artifacts: a release specification (the evaluation criteria and plan) and a release description (the results). Major milestones at the end of each phase use formal, stakeholder-approved evaluation criteria and release descriptions; minor milestones use informal, development-team-controlled versions of these artifacts.

Figure 9-1 illustrates a typical sequence of project checkpoints for a relatively large project.




FIGURE 9-1. A typical sequence of life-cycle checkpoints

## 4.4 MAJOR MILESTONES

- The four major milestones occur at the transition points between life-cycle phases. They can be used in many different process models, including the conventional waterfall model. In an iterative model, the major milestones are used to achieve concurrence among all stakeholders on the current state of the project. Different stakeholders have very different concerns:
  - **Customers:** Schedule and budget estimates, feasibility, risk assessment, requirements understanding, progress, product line compatibility.
  - **Users:** consistency with requirements and usage scenarios, potential for accommodating, growth, quality attributes.
  - **Architects and systems engineers:** product line compatibility, requirements changes, trade-off analyses, completeness and consistency, balance among risk, quality and usability

- **Developers:** sufficiency of requirements detail and usage scenario descriptions, frameworks for component selection or development, resolution of development risk, product line compatibility, sufficiency of the development environment.
  - **Maintainers:** sufficiency of product and documentation artifacts, understandability, interoperability with existing systems, sufficiency of maintenance environment.
  - **Others:** possibly many other perspectives by stakeholders such as regulatory agencies, independent verification and validation contractors, venture capital investors, subcontractors, associate contractors and sale and marketing teams.
- The following Table summarizes the balance of information across them major milestones.

MILESTONES	PLANS	UNDERSTANDING OF PROBLEM SPACE (REQUIREMENTS)	SOLUTION SPACE PROGRESS (SOFTWARE PRODUCT)
Life-cycle objectives milestone	<ol style="list-style-type: none"> <li>1. Definition of stakeholder responsibilities</li> <li>2. Low-fidelity life-cycle plan</li> <li>3. High-fidelity elaboration phase plan</li> </ol>	<ol style="list-style-type: none"> <li>1. Baseline vision, including growth vectors, quality attributes and priorities</li> <li>2. Use case model</li> </ol>	<ol style="list-style-type: none"> <li>1. Demonstration of at least one feasible architecture</li> <li>2. Make./buy/reuse trade-offs</li> <li>3. Initial design model</li> </ol>
Life-cycle architecture milestone	<ol style="list-style-type: none"> <li>1. High-fidelity construction phase plan (bill of materials, labor allocation)</li> <li>2. Low-fidelity transition phase plan.</li> </ol>	<ol style="list-style-type: none"> <li>1. Stable visions and use case model</li> <li>2. Evaluation criteria for construction release, initial operational capability</li> <li>3. Draft user manual</li> </ol>	<ol style="list-style-type: none"> <li>1. Stable design set</li> <li>2. Make/buy/reuse decisions</li> <li>3. Critical component prototypes</li> </ol>
Initial operational capability milestone	<ol style="list-style-type: none"> <li>1. High-fidelity transition phase plan</li> </ol>	<ol style="list-style-type: none"> <li>1. Acceptance criteria for product release</li> <li>2. Releasable user manual</li> </ol>	<ol style="list-style-type: none"> <li>1. Stable implementation set</li> <li>2. Critical features and core capabilities</li> <li>3. Objective insight into product qualities</li> </ol>
Product release milestone	<ol style="list-style-type: none"> <li>1. Next-generation product plan</li> </ol>	<p>Final user manual</p>	<ol style="list-style-type: none"> <li>1. Stable deployment set</li> <li>2. Full features</li> <li>3. Compliant quality</li> </ol>

## • **Life-Cycle Objectives Milestone**

• The life-cycle objectives milestone occurs at the end of the inception phase. The goal is to present to all stakeholders a recommendation on how to proceed with development, including a plan, estimated cost and schedule and expected benefits and cost savings. A successfully completed life-cycle objectives milestone will result in authorization from all stakeholders to proceed with the elaboration phase.

## • **Life-Cycle Architecture Milestone**

• The life-cycle architecture milestone occurs at the end of the elaboration phase. The primary goal is to demonstrate an executable architecture to all stakeholders. The baseline architecture consists of both a human-readable representation (the architecture document) and a configuration-controlled set of software components captured in the engineering artifacts. At successfully completed life-cycle architecture milestone will result in authorization from the stakeholders to proceed with the construction phase.

• The technical data listed in Figure 9-2 should have been reviewed by the time of the lifecycle architecture milestone. Figure 9-3 provides default agendas for this milestone

## **I. Requirements**

- A. Use case model
- B. Vision document (text, use cases)
- C. Evaluation criteria for elaboration (text, scenarios)

## **II. Architecture**

- A. Design view (object models)
- B. Process view (if necessary, run-time layout, executable code structure)
- C. Component view (subsystem layout make/buy/reuse component identification)
- D. Deployment view (target run-time layout, target executable code structure)
- E. Use case view (test case; structure, test result expectation)

- 1. Draft user manual

## **III. Source and executable libraries.**

- A. Product components
- B. Test components
- C. Environment and tool components

## **Figure 9-2 Engineering artifacts available at the life-cycle architecture milestone**

## Presentation Agenda

### I Scope and objectives

#### A. Demonstration overview

##### I. Requirements assessment

- A. Project vision and use cases
- B. Primary scenarios and evaluation criteria

##### II. Architecture assessment

###### A. Progress

1. Baseline architecture metrics( process to date and baseline for measure future architectural stability, scarp and rework)
2. Development metrics baseline estimate (for assessing future progress)
3. Test metrics baseline estimate (for assessing future progress of the test team).

###### A. Quality

4. Architectural features (demonstration capability summary Vs. evaluation criteria)
5. Performance (demonstration capability summary Vs. evaluation criteria)
6. Exposed architectural risks and resolution plans
7. Affordability and make/buy/reuse trade-offs

##### I. Construction phase plan assessment

- A. Iteration content and use case allocation
- B. Next iteration(s) detailed plan and evaluation criteria
- C. Elaboration phase cost./schedule performance
- D. Construction phase resource plan and basis of estimate
- E. Risk assessment.

### Demonstration Agenda

- I. Evaluation criteria
- II. Architecture subset summary
- III. Demonstration environment summary
- IV. Scripted demonstration scenarios
- V. Evaluation criteria results and follow-up items

**FIGURE 9-3: Default agendas for the life-cycle architecture milestone.**

## 4.5 MINOR MILESTONES

- Minor milestones are sometimes called as inch-pebbles.
- Minor milestones mainly focus on local concerns of current iteration.
- These iterative focused events are used to review iterative content in a detailed manner and authorize the continued work.
- Minor Milestone in the life cycle of Iteration: The number of iteration specific milestones is dependent on the iteration length and the content. A one month to six month iterative period requires only two minor milestones.
  - Iteration Readiness review: This informal milestone is conducted at the start of each iteration to review the detailed iteration plan and evaluation criteria that have been allocated to this iteration.
  - Iteration Assessment Review: This informal milestone is conducted at the end of each iteration to assess the degree to which the iteration achieved its objectives and satisfied its evaluation criteria, to review iteration results, to review qualification test results, to determine the amount of rework to be done and to review the impact of the iteration results on the plan for subsequent iterations.
- The format and content of these minor milestones tend to be highly dependent on the project and the organizational culture.

## 4.6 PERIODIC STATUS ASSESSMENTS

- Periodic status assessments are management reviews conducted at regular intervals (monthly, quarterly) to address progress and quality indicators, ensure continuous attention to project dynamics, and maintain open communications among all stakeholders.
- Periodic status assessments serve as project snapshots. While the period may vary, the recurring event forces the project history to be captured and documented. Status assessments provide the following:
  - A mechanism for openly addressing, communicating and resolving management issues technical issues and project risks.
  - Objective data derived directly from on-going activities and evolving product configurations
  - A mechanism for disseminating process, progress, quality trends, practices, and experience information to and from all stakeholders in an open forum.
    - Periodic status assessments are crucial for focusing continuous attention on the evolving health of the project and its dynamic priorities. They force the software project manager to collect and review the data periodically, force outside peer review, and encourage dissemination of best practices to and from other stakeholders.
- The default content of periodic status assessments should include the topics identified in Table 9-2.

TOPIC	CONTENT
Personnel	Staffing plan Vs. actuals Attritions, additions
Financial trends	Expenditure plan Vs. actuals for the previous, current and next major milestones Revenue forecasts
Top 10 risks	Issues and criticality resolution plans Quantification (cost, time, quality) of exposure
Technical Progress	Configuration baseline schedules for major milestones Software management metrics and indicators Current change trends Test and quality assessments
Major Milestone plans and results	Plan, schedule and risks for the next major milestone pass/fail results for all acceptance criteria
Total product scope	Total size, growth and acceptance criteria perturbations

## 4.7 WORK BREAKDOWN STRUCTURES

- A good work breakdown structure and its synchronization with the process framework are critical factors in software project success. Development of a work breakdown structure dependent on the project management style, organizational culture, customer preference, financial constraints and several other hard-to-define, project-specific parameters.
- A WBS is simply a hierarchy of elements that decomposes the project plan into the discrete work tasks.
- A WBS provides the following information structure:
  - A delineation of all significant work
  - A clear task decomposition for assignment of responsibilities
  - A framework for scheduling, budgeting, and expenditure tracking
- Many parameters can drive the decomposition of work into discrete tasks: product subsystems, components, functions, organizational units, life-cycle phases, even geographies. Most systems have first-level decomposition by subsystem. Subsystems are then decomposed into their components, one of which is typically the software.

## 4.7.1 CONVENTIONAL WBS ISSUES

- Conventional work breakdown structures frequently suffer from three fundamental flaws.
  - They are prematurely structured around the product design.
  - They are prematurely decomposed, planned, and budgeted in either too much or too little detail.
  - They are project-specific, and cross-project comparisons are usually difficult or impossible.
- *Conventional work breakdown structures are prematurely structured around the product design.* Figure 10-1 shows a typical conventional WBS that has been structured primarily around the subsystems of its product architecture, then further decomposed into the components of each subsystems. A WBS is the architecture for the financial plan.

*Conventional work breakdown structures are prematurely decomposed, planned and budgeted in either too little or too much detail.* Large software projects tend to be over planned and small projects tend to be under planned. The basic problem with planning too much detail at the outset is that the detail does not evolve with the level of fidelity in the plan.

*Conventional work breakdown structures are project-specific and cross-project comparisons are usually difficult or impossible.* With no standard WBS structure, it is extremely difficult to compare plans, financial data, schedule data, organizational efficiencies, cost trends, productivity trends, or quality trends across multiple projects.

Management  
 System requirement and design  
 Subsystem 1  
   Component 11  
     Requirements  
     Design  
     Code  
     Test  
     Documentation  
   ... (similar structures for other components)  
   Component 1N  
     Requirements  
     Design  
     Code  
     Test  
     Documentation  
   ... (similar structures for other subsystems)  
 Subsystem M  
   Component M1  
     Requirements  
     Design  
     Code  
     Test  
     Documentation  
   ...(similar structures for other components)  
   Component MN  
     Requirements  
     Design  
     Code  
     Test  
     Documentation  
 Integration and test  
 Test planning  
 Test procedure Preparation  
 Testing  
 Test reports  
 Other support areas  
 Configuration control  
 Quality assurance  
 System administration

**FIGURE 10-1:** *Conventional work breakdown structure, following the product hierarchy*

## 4.7.2 EVOLUTIONARY WORK BREAKDOWN STRUCTURES

- An evolutionary WBS should organize the planning elements around the process framework rather than the product framework. The basic recommendation for the WBS is to organize the hierarchy as follows:
  - First-level WBS elements are the workflows (management, environment, requirements, design, implementation, assessment, and deployment).
  - Second-level elements are defined for each phase of the life cycle (inception, elaboration, construction, and transition).
  - Third-level elements are defined for the focus of activities that produce the artifacts of each phase.
- A default WBS consistent with the process framework (phases, workflows, and artifacts) is shown in Figure 10-2. This recommended structure provides one example of how the elements of the process framework can be integrated into a plan. It provides a framework for estimating the costs and schedules of each element, allocating them across a project organization, and tracking expenditures.

- **The structure shown is intended to be merely a starting point. It needs to be tailored to the specifics of a project in many ways:**
  - **Scale:** Larger projects will have more levels and substructures.
  - **Organizational structure:** Projects that include subcontractors or span multiple organizational entities may introduce constraints that necessitate different WBS allocations.
  - **Degree of custom development:** Depending on the character of the project, there can be very different emphases in the requirements, design, and implementation workflows.
  - **Business context:** Projects developing commercial products for delivery to a broad customer base may require much more elaborate substructures for the deployment element.

- **Precedent experience:** Very few projects start with a clean slate. Most of them are developed as new generations of a legacy system (with a mature WBS) or in the context of existing organizational standards (with preordained WBS expectations).
- The WBS decomposes the character of the project and maps it to the life cycle, the budget, and the personnel. Reviewing a WBS provides insight into the important attributes, priorities, and structure of the project plan.
- Another important attribute of a good WBS is that the planning fidelity inherent in each element is commensurate with the current life-cycle phase and project state. Figure 10-3 illustrates this idea. One of the primary reasons for organizing the default WBS the way I have is to allow for planning elements that range from planning packages (rough budgets that are maintained as an estimate for future elaboration rather than being decompose into detail) through fully planned activity networks (with a well-defined budget and continuous assessment of actual versus planned expenditures).

# A Management

## AA Inception Phase Management

- AAA Business case development
- AAB Elaboration phase release specifications
- AAC Elaboration phase WBS specifications
- AAD Software development Plan
- AAE Inception phase project control and status assessments

## AB Elaboration phase management

- ABA Construction phase release specifications
- ABB Construction phase WBS baselining
- ABC Elaboration phase project control and status assessments.

## AC Construction phase management

- ACA Deployment phase planning
- ACB Deployment phase WBS baselining
- ACC Construction phase project control and status assessments

## AD Transition phase management

- ADA Next generation planning
- ADB Transition phase project control and status assessments.

- B Environment
  - BA Inception phase environment specifications
  - BB Elaboration phase environment baselining
    - BBA Development environment installation and administration
    - BBB Development environment integration and custom toolsmithing
    - BBC SCO Database formulation
  - BC Construction phase environment maintenance
    - BCA Development environment installation and administration
    - BCB SCO database maintenance
  - BD Transition phase environment maintenance
    - BDA Development environment maintenance and administration
    - BDB SCO database maintenance
    - BDC Maintenance environment packaging and transition.

- C Requirements
  - CA Inception phase requirements development
    - CCA Vision specification
    - CAB Use case modeling
  - CB Elaboration phase requirements baselining
    - CBA Vision baselining
    - CBB Use case model baselining
  - CC Construction phase requirements maintenance
  - CD Transition phase requirements maintenance
- D Design
  - DA Inception phase architecture prototyping
  - DB Elaboration phase architecture baselining
    - DBA Architecture design modeling
    - DBB Design demonstration planning and conduct
    - DBC Software architecture description
  - DC Construction phase design modeling
    - DCA Architecture design model maintenance
    - DCB Component design modeling
  - DD Transition phase design maintenance

## E Implementation

EA Inception phase component prototyping

EB Elaboration phase component implementation

EBA Critical component coding demonstration integration.

## F Assessment

FA Inception phase assessment

FB Elaboration phase assessment

FBA Test modeling

FBB Architecture test scenario implementation

FBC Demonstration assessment and release descriptions

FC Construction phase assessment

FCA Initial release assessment and release description

FCB Alpha release assessment and release description


FCC Beta release assessment and release description.

FD Transition phase assessment

FDA Product release assessment and release description

- G Deployment
  - GA Inception phase deployment planning
  - GB Elaboration phase deployment planning
  - GC Construction phase deployment
    - GCA User manual baselining
  - GD Transition phase deployment
    - GDA Product transition to user

**FIGURE 10-2: Default work breakdown structure**



**FIGURE 10-3. Evolution of planning fidelity in the WBS over the life cycle**

## 4.8 PLANNING GUIDELINES

- Software projects span a broad range of application domains. It is valuable but risky to make specific planning recommendations independent of project context. Project-independent planning advice is also risky. There is the risk that the guidelines may be adopted blindly without being adapted to specific project circumstance. Two simple planning guidelines should be considered when a project plan is being initiated or assessed. The first guideline, detailed in Table 10-1, prescribes a default allocation of costs among the first-level WBS elements. The second guideline, detailed in Table 10-25, prescribes allocation of effort and schedule across the lifecycle phases.

**Table 10-1: Web budgeting defaults**

<b>First Level WBS Element</b>	<b>Default Budget</b>
Management	10%
Environment	10%
Requirement	10%
Design	15%
Implementation	25%
Assessment	25%
Deployment	5%
Total	100%

**Table 10-2 Default distributions of effort and schedule by phase**

<b>Domain</b>	<b>Inception</b>	<b>Elaboration</b>	<b>Construction</b>	<b>Transition</b>
Effort	5%	20%	65%	10%
Schedule	10%	30%	50%	10%

**Table 10-1: Web budgeting defaults**

<b>First Level WBS Element</b>	<b>Default Budget</b>
Management	10%
Environment	10%
Requirement	10%
Design	15%
Implementation	25%
Assessment	25%
Deployment	5%
Total	100%

**Table 10-2 Default distributions of effort and schedule by phase**


<b>Domain</b>	<b>Inception</b>	<b>Elaboration</b>	<b>Construction</b>	<b>Transition</b>
Effort	5%	20%	65%	10%
Schedule	10%	30%	50%	10%

## 4.9 THE COST AND SCHEDULE ESTIMATING PROCESS

- Project plans need to be derived from two perspectives. The first is a forward-looking, top-down approach. It starts with an understanding of the general requirements and constraints, derives a macro-level budget and schedule, then decomposes these elements into lower level budgets and intermediate milestones. From this perspective, the following planning sequence would occur:
  - The software project manager (and others) develops a characterization of the overall size, process, environment, people, and quality required for the project.
  - A macro-level estimate of the total effort and schedule is developed using a software cost estimation model.
  - The software project manager partitions the estimate for the effort into top-level WBS using guidelines such as those in Table 10-1.
  - At this point, subproject managers are given the responsibility for decomposing each of the WBS elements into lower levels using their top-level allocation, staffing profile, and major milestone dates as constraints.

• The second perspective is a backward-looking, bottom-up approach. We start with the end in mind, analyze the micro-level budgets and schedules, then sum all these elements into the higher level budgets and intermediate milestones. This approach tends to define and populate the WBS from the lowest levels upward. From this perspective, the following planning sequence would occur:

1. The lowest level WBS elements are elaborated into detailed tasks
2. Estimates are combined and integrated into higher level budgets and milestones.
3. Comparisons are made with the top-down budgets and schedule milestones.



Engineering Stage		Production Stage		Engineering stage planning emphasis:	Production stage planning emphasis:
Inception	Elaboration	Construction	Transition	<ul style="list-style-type: none"> <li>Macro level task estimation for production stage artifacts</li> <li>Micro level task estimation for engineering artifacts</li> <li>Stakeholder concurrence</li> <li>Coarse grained variance analysis of actual Vs planned expenditures</li> <li>Tuning the top down project independent planning guidelines into project specific planning guidelines</li> <li>WBS definition and elaboration</li> </ul>	<ul style="list-style-type: none"> <li>Micro level task estimation for production stage artifacts</li> <li>Macro level task estimation for maintenance of engineering artifacts</li> <li>Stakeholder concurrence</li> <li>Fine grained variance analysis of actual Vs planned expenditures</li> </ul>

## 4.10 THE INTERACTION PLANNING PROCESS

- Planning is concerned with defining the actual sequence of intermediate results. An evolutionary build plan is important because there are always adjustments in build content and schedule as early conjecture evolves into well-understood project circumstance. Iteration is used to mean a complete synchronization across the project, with a well-orchestrated global assessment of the entire project baseline.
- **Inception Iterations:** the early prototyping activities integrate the foundation components of candidate architecture and provide an executable framework for elaborating the critical use cases of the system. This framework includes existing components, commercial components and custom prototypes sufficient to demonstrate candidate architecture and sufficient requirements understanding to establish a credible business case, vision and software development plan.

- **Elaboration Iteration:** These iterations result in architecture, including a complete framework and infrastructure for execution. Upon completion of the architecture iteration, a few critical use cases should be demonstrable: (1) initializing the architecture (2) injecting a scenario to drive the worst-case data processing flow through the system (for example, the peak transaction throughput or peak loan scenario) and (3) injecting a scenario to drive the worst-case control flow through the system (for example, orchestrating the fault-tolerance use cases).
- **Construction Iterations:** Most projects require at least two major construction iterations: an alpha release and a beta release.
- **Transition Iterations:** Most projects use a single iteration to transition a beta release into the final product.

- The general guideline is that most projects will use between four and nine iteration. The typical project would have the following six-iteration profile:
  - **One iteration in inception:** an architecture prototype
  - **Two iterations in elaboration:** architecture prototype and architecture baseline
  - **Two iterations in construction:** alpha and beta releases
  - **One iteration in transition:** product release
- A very large or unprecedented project with many stakeholders may require additional inception iteration and two additional iterations in construction, for a total of nine iterations.

## 4.11 PRAGMATIC PLANNING

- Even though good planning is more dynamic in an iterative process, doing it accurately is far easier. While executing iteration N of any phase, the software project manager must be monitoring and controlling against a plan that was initiated in iteration N-1 and must be planning iteration N+1. The art of good project management is to make trade-offs in the current iteration plan and the next iteration plan based on objective results in the current iteration and previous iterations. Aside from bad architectures and misunderstood requirements, inadequate planning (and subsequent bad management) is one of the most common reasons for project failures. Conversely, the success of every successful project can be attributed in part to good planning.
- A project's plan is a definition of how the project requirements will be transformed into a product within the business constraints. It must be realistic, it must be current, it must be a team product, it must be understood by the stakeholders, and it must be used. Plans are not just for managers. The more open and visible the planning process and results, the more ownership there is among the team members who need to execute it. Bad, closely held plans cause attrition. Good, open plans can shape cultures and encourage teamwork.

1. What is the content of minor checkpoints, major checkpoints and status assessments?
2. Who are the stakeholders and what are the major areas of their concern in software life cycle?
3. Discuss briefly about the major milestones in software life cycle.
4. Give the general status of plans, requirements and products across the major milestones in software life cycle.
5. What are immovable deadlines and movable deadlines in a project?
6. How are the checkpoints or synchronization points decided? Explain with an example.
7. Discuss in detail about the minor milestones in the life cycle of iteration.
8. Define periodic status assessment. What is the need of status assessment in software life cycle? Also discuss the default content of periodic status assessments.
9. What are the disadvantages of traditional work breakdown structures?
10. How should the evolutionary WBS be structured?
11. 'Two simple planning guidelines must be considered during project initiation and assessment'. Discuss them briefly.

12. Discuss the two perspectives of deriving project plans.
  13. Explain in detail about the iteration planning process.
  14. Compare and contrast engineering stage and production storage planning.
  15. Write short notes on pragmatic type of planning.
-





**Thank You . .**