

Cloud Computing (23CY508)

R.ASHOK

DEPARTMENT OF CSE- CS

ashokramala@nrcmec.org



NARSIMHA REDDY ENGINEERING COLLEGE

UGC AUTONOMOUS INSTITUTION

Maisammaguda (V), Kompally - 500100, Secunderabad, Telangana State, India

Accredited by NBA & NAAC with 'A' Grade

Approved by AICTE

Permanently affiliated to JNTUH

Dept of CSE(CS), NRCM

UNIT-1

Computing Paradigms

Introduction

➤What is computing?

- The process of utilizing computer technology to complete a task.
- Computing may involve computer hardware and/or software, but must involve some form of a computer system.

➤What is paradigms?

- A style or a way of doing something.
- A set of practices to be followed to accomplish a task.

➤Computing Paradigms

- In the domain of computing, there are many different standard practices being followed based on inventions and technological advancements.

Computing Paradigms

- The various computing paradigms:

- ~High performance computing,

- ~Parallel computing

- ~Cluster computing,

- ~Distributed computing

- ~Grid computing,

- ~Cloud computing,

- ~Bio-computing,

- ~Mobile computing,

- ~Quantum computing,

- ~Optical computing,

- ~Nano computing.

High Performance Computing

High Performance Computing

- In high-performance computing systems, a pool of processors are connected with other resources like memory, storage, and input and output devices, and the deployed software is enabled to run in the entire system of connected components.
- The processor machines can be of homogeneous or Heterogeneous type.
- The legacy meaning of high-performance computing (HPC) is the supercomputers; however, it is not true in present-day computing scenarios.

- Thus, examples of HPC include a small cluster of desktop computers or personal computers (PCs) to the fastest supercomputers.
- HPC systems are normally found in those applications where it is Required to use or solve scientific problems.
- Most of the time, the challenge in working with these kinds of problems is to perform suitable simulation study, and this can be accomplished by HPC without any difficulty.
- Scientific examples such as protein folding in molecular biology and studies on developing models and applications based on nuclear fusion are worth noting as potential applications for HPC.

High Performance Computing



High Performance Computing



- **HPC Use In Africa And How Different Industries Can Take Advantage of It**

High Performance Computing

UCL to host National High Performance Computing Hub for Materials Science




Performance Computing (HPC) facility for the Materials and Molecular Modelling community.

High Performance Computing

Global High Performance Computing market


Global High Performance Computing (HPC) market share, by end use, 2017 (%)



Source: www.grandviewresearch.com

High Performance Computing

China High Performance Computing (HPC) market size, by component, 2014 - 2025 (USD Billion)



Source: www.grandviewresearch.com


Parallel Computing

Parallel Computing

- **Serial Computing:**


- Traditionally, software has been written for ***serial*** computation:
 - A problem is broken into a discrete series of instructions
 - Instructions are executed sequentially one after another
 - Executed on a single processor
 - Only one instruction may execute at any moment in time

Parallel Computing



Parallel Computing


- **Serial Computing:**
- For Example-




Parallel Computing

- **Parallel Computing:**
- In the simplest sense, *parallel computing* is the simultaneous use of Multiple compute resources to solve a computational problem:
 - A problem is broken into discrete parts that can be solved concurrently
 - Each part is further broken down to a series of instructions
 - Instructions from each part execute simultaneously on different processors
 - An overall control/coordination mechanism is employed

Parallel Computing



Parallel Computing




Parallel Computing


- The computational problem should be able to:
 - Be broken apart into discrete pieces of work that can be solved Simultaneously;
 - Execute multiple program instructions at any moment in time;
 - Be solved in less time with multiple compute resources than with a single Compute resource.
- The computer resources are typically:
 - A single computer with multiple processors/cores
 - An arbitrary number of such computers connected by a network

This figure is showing the majority of the world's large parallel computers (supercomputers) are clusters of hardware produced by a handful of (mostly) well known vendors.

Vendors System Share



Vendors Performance Share



Vendors	Count	System Share (%)
HPE	122	24.4
Lenovo	81	16.2
Inspur	56	11.2
Cray Inc.	53	10.6
Sugon	51	10.2
IBM	19	3.8
Huawei	19	3.8
Bull	17	3.4
Dell EMC	16	3.2
Fujitsu	12	2.4
Penguin Computing	10	2
NUDT	4	0.8
PEZY Computing / Exascaler Inc.	4	0.8
NEC	4	0.8
Atipa	3	0.6
Lenovo/IBM	3	0.6
Nvidia	2	0.4
Dell EMC / IBM-GBS	2	0.4
T-Platforms	2	0.4
IBM/Lenovo	2	0.4
Self-made	1	0.2
T-Platforms, Intel, Dell	1	0.2
ClusterVision	1	0.2
Supermicro	1	0.2
ExaScaler	1	0.2
E4 Computer Engineering S.p.A.	1	0.2
RSC Group	1	0.2

Distributed Computing

Distributed Computing

- Distributed computing is also a computing system that consists of multiple computers or processor machines connected through a network, which can be homogeneous or heterogeneous, but run as a single system.
- The connectivity can be such that the CPUs in a distributed system can be physically close together and connected by a local network, or they can be geographically distant and connected by a wide area network.
- The heterogeneity in a distributed system supports any number of possible configurations in the processor machines, such as mainframes, PCs, workstations, and minicomputers.

- The goal of distributed computing is to make such a network work as a single computer.
- Distributed computing systems are advantageous over centralized systems, because there is a support for the following characteristic features:
 1. Scalability: It is the ability of the system to be easily expanded by adding more machines as needed, and vice versa, without affecting the existing setup.
 2. Redundancy or replication: Here, several machines can provide the same services, so that even if one is unavailable (or failed), work does not stop because other similar computing supports will be available.

Distributed Computing

Centralized

- A system with centralized multiprocessor parallel architecture. In the late 1980 s Centralized systems have been progressively replaced by distributed systems.



Characteristics of centralized system

- Non autonomous components
- usually homogeneous technology
- Multiple users share the same resources at all time
- single point of control
- single point of failure

Distributed Computing


- Set of tightly coupled programs executing on one or more computers which are interconnected through a network and coordinating their actions. These programs know about one another and carry out tasks that none could carry out in isolation
- **Characteristics of distributed system**
- Autonomous components
- Mostly build using heterogeneous technology
- System components may be used exclusively
- Concurrent processes can execute
- Scalability- possibility of adding new hosts
- openness- easily extended and modified
- Heterogeneity-supports various H/W S/w platforms
- Resource sharing- H/w, S/W and data
- fault tolerance- ability to function correctly even if faults occur

CENTRALIZED VS. DISTRIBUTED COMPUTING




Distributed Computing

Distributed Computing



Parallel Computing



Distributed Computing

- the following are the different application of the distributed system.
- Global positioning System
- World Wide Web
- Air Traffic Control System
- Automated Banking System
- In the World Wide Web application the data or application were distributed on the several numbers of the heterogeneous computer system, but for the end user or the browser it seems to be a single system from which user got the information.
- The multiple number of computer working concurrently and Perform the resource sharing in the World Wide Web.

Cluster Computing

Cluster Computing

- A cluster computing system consists of a set of the same or similar type of processor machines connected using a dedicated network infrastructure.
- All processor machines share resources such as a common home directory and have software such as a message passing interface (MPI) implementation installed to allow programs to be run across all nodes simultaneously.
- This is also a kind of HPC category.
- The individual computers in a cluster can be referred to as *nodes*.

- The reason to realize a cluster as HPC is due to the fact that the individual nodes can work together to solve a problem larger than any computer can easily solve.
- And, the nodes need to communicate with one another in order to work cooperatively and meaningfully together to solve the problem in hand.
- If we have processor machines of heterogeneous types in a cluster, this kind of clusters become a subtype and still mostly are in the experimental or research stage.

Cluster Computing

- A computer cluster help to solve complex operations more efficiently with much faster processing speed, better data integrity than a single computer and they only used for mission-critical applications.
- The Clustering methods have identified as- HPC IAAS, HPC PAAS, that are more expensive and difficult to setup and maintain than a single computer.
- A computer cluster defined as the addition of processes for delivering large-scale processing to reduce downtime and larger storage capacity as compared to other desktop workstation or computer.

Cluster Computing

- Some of the critical Applications of Cluster Computers are Google Search Engine, Petroleum Reservoir Simulation, Earthquake Simulation, and Weather Forecasting.
- **Cluster Can be classified into two category Open and Close Cluster.**
- **Open Cluster:** All nodes in Open Cluster are needed IPs, and that are accessible through internet/web, that cause more security concern.
- Close Cluster:** On the other hand Close Cluster are hide behind The gateway node and provide better security.

Cluster Computing

- **Types of Cluster computing**

- **1. Load-balancing clusters:** As the name implies, This system is used to distribute workload across multiple computers. That system

- distributes the processing load as possible across a cluster of Computers.

- 2. **High availability (HA) clusters:** A high availability clusters (HA cluster) are the bunch of computers that can reliably utilise for

- redundant operations in the event of nodes failure in Cluster Computing.

- 3. **High performance (HP) clusters:** This computer networking methodology use supercomputers and Cluster computing to solve advanced computation problems.

Cluster Computing

Advantages of using Cluster computing


- **1. Cost efficiency:** In a Cluster computing Cost efficiency is the ratio of cost to output that is the connecting group of the computer as computer cluster much cheaper as compared to mainframe computers.

- **2.Processing speed:** The Processing speed of computer cluster is the same as a mainframe computer.


- **3.Expandability:** The best benefit of Cluster Computing is that it can be expanded easily by adding the additional desktop workstation to the system.

- **4.High availability of resources:** If any node fails in a computer cluster, another node within the cluster continue to provide uninterrupted processing. When a mainframe system fails, the entire system fails.

A SIMPLE CLUSTER LAY OUT



Cluster Computing Architecture



Computer Cluster Architecture


Grid Computing

Grid Computing


- The computing resources in most of the organizations are underutilized but are necessary for certain operations.
- The idea of grid computing is to make use of such non utilized computing power by the needy organizations, and thereby the return on investment (ROI) on computing investments can be increased.
- Thus, grid computing is a network of computing or processor machines managed with a kind of software such as middleware, in order to access and use the resources remotely.
- The managing activity of grid resources through the middleware is called grid services.

- Grid services provide access control, security, access to data including digital libraries and databases, and access to large-scale interactive and long-term storage facilities.
- Grid computing is more popular due to the following reasons:
 - ~Its ability to make use of unused computing power, and thus, it is a cost-effective solution (reducing investments, only recurring costs)
 - ~As a way to solve problems in line with any HPC-based application
 - ~Enables heterogeneous resources of computers to work cooperatively and collaboratively to solve a scientific problem
- Researchers associate the term grid to the way electricity is distributed in municipal areas for the common man.

Grid Computer Architecture



How Grid Computing Works



Electrical Power Grid and Grid Computing

Electrical Power Grid

Never worry about where the electricity that we are using comes from; that is, whether it is from coal in Australia, from wind power in the United States, or from a nuclear plant in France, one can simply plug the electrical appliance into the wall-mounted socket and it will get the electrical power that we need to operate the appliance.

The infrastructure that makes this possible is called *the power grid*. It links together many different kinds of power plants with our home, through transmission stations, power stations, transformers, power lines, and so forth.

The power grid is *pervasive*: electricity is available essentially everywhere, and one can simply access it through a standard wall-mounted socket.

The power grid is a *utility*: we ask for electricity and we get it. We also pay for what we get.

Grid Computing

Never worry about where the computer power that we are using comes from; that is, whether it is from a supercomputer in Germany, a computer farm in India, or a laptop in New Zealand, one can simply plug in the computer and the Internet and it will get the application execution done.

The infrastructure that makes this possible is called *the computing grid*. It links together computing resources, such as PCs, workstations, servers, and storage elements, and provides the mechanism needed to access them via the Internet.

The grid is also *pervasive* in the sense that the remote computing resources would be accessible from different platforms, including laptops and mobile phones, and one can simply access the grid computing power through the web browser.

The grid computing is also a *utility*: we ask for computing power or storage capacity and we get it. We also pay for what we get.

Grid Computing: Applications

☐ Life Science Application

- Computational biology, bioinformatics, genomics, computational neuroscience
- e.g. the Protein Data Bank, the myGrid Project, the Biomedical Information Research Network (BIRN), MCell].

☐ Engineering-oriented Application

- NASA operation its research through grid

☐ Data-oriented Application

- Data is emerging as the 'killer application' of the Grid.
- e.g. Distributed Aircraft Maintenance Environment (DAME).

Cloud Computing



NARSIMHA REDDY ENGINEERING COLLEGE

UGC AUTONOMOUS INSTITUTION

Maisammaguda (V), Kompally - 500100, Secunderabad, Telangana State, India.

Accredited by NBA & NAAC with 'A' Grade


Approved by AICTE

Permanently affiliated to JNTUH

Cloud Computing

- The computing trend moved towards cloud from the concept of grid computing, particularly when large computing resources are required to solve a single problem, using the ideas of computing power as a utility and other allied concepts.
- However, the potential difference between grid and cloud is that grid computing supports leveraging several computers in parallel to solve a particular application, while cloud computing supports leveraging multiple resources, including computing resources, to deliver a unified service to the end user.

- In cloud computing, the IT and business resources, such as servers, storage, network, applications, and processes, can be dynamically provisioned to the user needs and workload.
- In addition, while a cloud can provision and support a grid, a cloud can also support non-grid environments, such as a three-tier web architecture running on traditional or Web 2.0 applications.



Cloud computing

Grid Computing **VS** Cloud Computing

Criteria	Grid Computing	Cloud Computing
User Management	Decentralised management	Centralised management
Dependency	Other computer picks up the work whenever the computer stops	Totally dependent on internet
Operation	Operates within a corporate network	Can also operate through the internet
Accessibility	Through Grid middleware	Through standard Web protocols
Domains	Multiple Domains	Single Domain
Scalability	Normal	High
Architecture	Distributed computing architecture	Client-server architecture
Virtualization	Data and computing resources	Hardware and software platforms
Computation	Maximum computing	On-demand
Application Type	Batch	Interactive

BioComputing



NARSIMHA REDDY ENGINEERING COLLEGE
UGC AUTONOMOUS INSTITUTION


Maisammaguda (V), Kompally - 500100, Secunderabad, Telangana State, India.

Accredited by NBA & NAAC with 'A' Grade
Approved by AICTE
Permanently affiliated to JNTUH

Biocomputing

- Biocomputing systems use the concepts of biologically derived or simulated molecules (or models) that perform computational processes in order to solve a problem.
- The biologically derived models aid in structuring the computer programs that become part of the application.
- Biocomputing provides the theoretical background and practical tools for scientists to explore proteins and DNA.
- DNA and proteins are nature's building blocks, but these building blocks are not exactly used as bricks.

- The function of the final molecule rather strongly depends on the order of these blocks.
- Thus, the bio computing scientist works on inventing the order suitable for various applications mimicking biology.
- Bio computing shall, therefore, lead to a better understanding of life and the molecular causes of certain diseases.



Current Opinion in Biotechnology

Mobile Computing

Mobile Computing

- In mobile computing, the processing (or computing) elements are small (i.e., handheld devices) and the communication between various resources is taking place using wireless media.
- Mobile communication for voice applications (e.g., cellular phone) is widely established throughout the world and witnesses a very rapid growth in all its dimensions including the increase in the number of subscribers of various cellular networks.
- An extension of this technology is the ability to send and receive data across various cellular networks using small devices such as smart phones.

- There can be numerous applications based on this technology;
 - for example, video call or conferencing is one of the important applications that people prefer to use in place of existing voice (only) communications on mobile phones.
- Mobile computing–based applications are becoming very important and rapidly evolving with various technological advancements as it allows users to transmit data from remote locations to other remote or fixed locations.



Smart Watch



GPS System



LapTops



Gaming Console



Tablets



Phablets



PDA



Robots



E-Readers



Notebook



Smart Phone



Portable Media Player



Smart Glass



VR-Headset



AR-Headset




SemiSelfDriving Car

PRINCIPLES OF MOBILE COMPUTING



LIMITATIONS OF MOBILE COMPUTING



Quantum Computing

Quantum Computing

- Quantum computing is the area of study focused on developing computer technology based on the principles of quantum theory, which explains the nature and behavior of energy and matter on the quantum (atomic and subatomic) level.
- Quantum computing is an as-of-yet theoretical computing model that uses a very different form of data handling to perform calculations.
- The emergence of quantum computing is based on a new kind of data unit that could be called non-binary, as it has more than two possible values.
- Manufacturers of computing systems say that there is a limit for cramming more and more transistors into smaller and smaller spaces of integrated circuits (ICs) and thereby doubling the processing power about every 18 months.

- This problem will have to be overcome by a new quantum computing–based solution, wherein the dependence is on quantum information, the rules that govern the subatomic world.
- Quantum computers are millions of times faster than even our most powerful supercomputers today.
- Since quantum computing works differently on the most fundamental level than the current technology, and although there are working prototypes, these systems have not so far proved to be alternatives to today's silicon-based machines.

Quantum Computing




0



1

Classical Bit




Qubit

Applications

Some of the applications of Quantum Computing:

Machine Learning, Computational Chemistry, Financial Portfolio Optimization, Logistics and Scheduling, Drug Design, Cyber Security, Code breaking, (Circuit, Software, and System Fault Simulation).

Quantum Computing



IBM Simulates a 56-Qubit Machine




Optical Computing

Optical Computing

- Optical computing system uses the photons in visible light or infrared beams, rather than electric current, to perform digital computations.
- An electric current flows at only about 10% of the speed of light.
- This limits the rate at which data can be exchanged over long distances and is one of the factors that led to the evolution of optical fiber.
- By applying some of the advantages of visible and/or IR networks at the device and component scale, a computer can be developed that can perform operations 10 or more times faster than a conventional electronic computer.

OPTICAL COMPUTER


- Optical computing describes a new technological approach for constructing computer's processors and other components.
- An Optical Computer is a hypothetical device that uses visible light or infrared beams, rather than electric current, to perform digital computations.



Why Do We Need Optical Computers ?

- ❖ *Rapid growth of the Internet*
- ❖ *Network speeds currently limited by electronic circuits*
- ❖ *Terabit speeds are required*
- ❖ *Traditional silicon circuits have a physical limit*

OPTICAL COMPUTER



Application of Optical Computing

Optical Computing In Communication

- ❖ *Wavelength division multiplexing*
- ❖ *Optical Amplifiers*
- ❖ *Storage area network*
- ❖ *Fiber Channel Topologies*

Basic topologies:

F C-AL (Fiber Channel Arbitration Loop):

Cost effective, low performance solution

Switched:

Better performance, more expensive

Hybrid topologies:

Uses loops and switches as building blocks

Any interconnection network scheme can be realized

ADVANTAGES

- ✓ small size
- ✓ high density
- ✓ high speed
- ✓ low heating of junctions
- ✓ dynamically reconfigurable and scalable into larger or smaller topologies and network
- ✓ massively parallel computing capability
- ✓ applications in artificial intelligence applications

DRAWBACKS

Optical Computing using a coherent source is simple to compute and understand, but it has many drawbacks like any imperfections or dust on the Optical Components will create unwanted interference pattern due to scattering effects.

Nano Computing

Nano computing


What is Nano computing

- Nano computing describes Those components that uses Extremely small or nano scale devices .

❑ Nano computers comes from Two sources:

- ✓ It will be integrated into Existing products and technology(disk , driver).
- ✓ Fundamentally new products , software, and architecture will be develop.

www.igvfsonlineedu.in




Nano computing

- Nano computing refers to computing systems that are constructed from nanoscale components.
- The silicon transistors in traditional computers may be replaced by transistors based on carbon nanotubes.
- The successful realization of nanocomputers relates to the scale and integration of these nanotubes or components.
- The issues of scale relate to the dimensions of the components; they are, at most, a few nanometers in at least two dimensions.
- The issues of integration of the components are twofold: first, the manufacture of complex arbitrary patterns may be economically infeasible, and second, nanocomputers may include massive quantities of devices.

TYPES OF NANOCOMPUTING

- ❖ Electronic nanocomputer.
- ❖ Chemical & bio-chemical nanocomputers.
- ❖ Mechanical nanocomputer.
- ❖ Quantum nanocomputer.



How nano computing works?

- Nano computer would work by storing data in the form of atomic quantum states or spin. (SEM and quantum dots)
- There are several methods of nano electronic data storage currently being researched. Among the most promising are set electron transistors and quantum dots.
- All of these devices function based upon the principles of quantum mechanics...

APPLICATION OF NANOTECHNOLOGIES

- Washing machine that inhibits bacterial growth it washes the clothes
- It is on the market today and 60% of cars these fuel lines
- They make a refrigerator
- Contact lens that let you check your mind blood sugar level by looking at a mirror

Devices of nano computing



ipad, iPhone, HP Slate, Android devices like ICD Gemini etc

Cloud Computing Fundamentals

UNIT-2

Topics Covered

- Introduction of cloud computing
- Motivation for cloud computing
- The Need for cloud computing
- Defining cloud computing
- NIST Definition of Cloud Computing
- Cloud Computing is a service (Service Models)
- Cloud Computing is a platform
- Principles of Cloud Computing
- Characteristics of cloud
- Deployment Models of Cloud
- Benefits of Cloud Computing
- Drawbacks of Cloud Computing

Introduction

- Modern computing with our laptop or desktop or even with tablets/smartphones using the Internet to access the data and details that we want, which are located/stored at remote places/computers, through the faces of applications like Facebook, e-mail, and YouTube, brings the actual power of information that we need instantaneously within no time.
- Even if millions of users get connected in this manner, from anywhere in the world, these applications do serve what these users—customers want.
- This phenomenon of supply of information or any other data and details to all the needy customers, as and when it is asked, is the conceptual understanding and working of what is known as cloud computing.

Introduction

- **CLOUD:** The word ‘Cloud’ means a cluster of servers, network, software, interface etc., which are required for the user to execute a particular task.
- **COMPUTING:** It refers to the deliver of this cluster as a service to the user so that user can use it as and when required.
- **CLOUD COMPUTING:** It is the practice of using a network of remote servers hosted on the Internet to store, manage and process data, rather than a local server or a personal computer.

Motivation for Cloud Computing

- Let us review the scenario of computing prior to the announcement and availability of cloud computing:
- The users who are in need of computing are expected to invest money on computing resources such as hardware, software, networking, and storage;
- This investment naturally costs a bulk currency to the users as they have to buy these computing resources, keep these in their premises, and maintain and make it operational—all these tasks would add cost.
- And, this is a particularly true and huge expenditure to the enterprises that require enormous computing power and resources.

Motivation for Cloud Computing

- On the other hand, it is easy and handy to get the required computing power and resources from some provider (or supplier) as and when it is needed and pay only for that usage.
- This would cost only a reasonable investment or spending, compared to the huge investment when buying the entire computing infrastructure.
- This phenomenon can be viewed as capital expenditure versus operational expenditure.
- As one can easily assess the huge lump sum required for capital expenditure (whole investment and maintenance for computing infrastructure) and compare it with the moderate or smaller lump sum required for the hiring or getting the computing infrastructure only to the tune of required time, and rest of the time free from that.


Motivation for Cloud Computing

- Therefore, cloud computing is a mechanism of bringing—hiring or getting the services of the computing power or infrastructure to an organizational or individual level to the extent required and paying only for the consumed services.
- One can compare this situation with the usage of electricity (its services) from its producer-cum-distributor (in India, it is the state-/government-owned electricity boards that give electricity supply to all residences and organizations) to houses or organizations; here, we do not generate electricity (comparable with electricity production—related tasks); rather, we use it only to tune up our requirements in our premises, such as for our lighting and usage of other electrical appliances, and pay as per the electricity meter reading value.

Motivation for Cloud Computing

- Therefore, cloud computing is needed in getting the services of computing resources.
- Thus, one can say as a one-line answer to the need for cloud computing that it eliminates a large computing investment without compromising the use of computing at the user level at an operational cost.
- Cloud computing is very economical and saves a lot of money.
- A blind benefit of this computing is that even if we lose our laptop or due to some crisis our personal computer—and the desktop system—gets damaged, still our data and files will stay safe and secured as these are not in our local machine (but remotely located at the provider's place—machine).

Motivation for Cloud Computing



Motivation for Cloud Computing

- It is a computing solution growing in popularity, especially among individuals and small- and medium-sized companies (SMEs).
- In the cloud computing model, an organization's core computer power resides offsite and is essentially subscribed to rather than owned.
- Thus, cloud computing comes into focus and much needed only when we think about what computing resources and information technology (IT) solutions are required.
- This need caters to a way to increase capacity or add capabilities on the fly without investing in new infrastructure, training new personnel, or licensing new software.
- Cloud computing encompasses the subscription based or pay-per-use service model of offering computing to end users or customers over the Internet.

The Need for Cloud Computing

- The main reasons for the need and use of cloud computing are convenience and reliability.
- In the past, if we wanted to bring a file, we would have to save it to a Universal Serial Bus (USB) flash drive, external hard drive, or compact disc (CD) and bring that device to a different place.
- Instead, saving a file to the cloud (e.g., use of cloud application Drop box) ensures that we will be able to access it with any computer that has an Internet connection.
- The cloud also makes it much easier to share a file with friends, making it possible to collaborate over the web.

The Need for Cloud Computing

- While using the cloud, losing our data/file is much less likely.
- However, just like anything online, there is always a risk that someone may try to gain access to our personal data, and therefore, it is important to choose an access control with a strong password and pay attention to any privacy settings for the cloud service that we are using.

The Need for Cloud Computing

Why do we require cloud computing?




Cannot use it.
Unsaved data
lost!!

Crashes!!

Crashes!!

Earlier, In our Computers...



Now-a-days using cloud
computing...

Defining Cloud Computing

- In the simplest terms, cloud computing means storing and accessing data and programs over the Internet from a remote location or computer instead of our computer's hard drive.
- This so called remote location has several properties such as scalability, elasticity etc., which is significantly different from a simple remote machine.
- The cloud is just a metaphor for the Internet.
- When we store data on or run a program from the local computer's hard drive, that is called local storage and computing.
- For it to be considered cloud computing, we need to access our data or programs over the Internet.
- The end result is the same; however, with an online connection, cloud computing can be done anywhere, anytime, and by any device.

Defining Cloud Computing

Customer Oriented Definition:

- Any time
- Any where
- with Any device(like mobile, laptop,tablet,...)
- Accessing Any Service(Iaas, Paas, Saas)

Business Oriented Definition

- Universal Access
- Scalable Services
- New Application Service Models(Xaas, Pay-as-you-go basis)

NIST Definition of Cloud Computing

The formal definition of cloud computing comes from the National Institute of Standards and Technology (NIST):

- “Cloud computing is a model for enabling ubiquitous, convenient, on-demand network access to a shared pool of configurable computing resources (e.g., networks, servers, storage, applications, and services) that can be rapidly provisioned and released with minimal management effort or service provider interaction.”
- It means that the computing resource or infrastructure—be it server hardware, storage, network, or application software—all available from the cloud vendor or provider’s site/premises, can be accessible over the Internet from any remote location and by any local computing device.

NIST Definition of Cloud Computing

- In addition, the usage or accessibility is to cost only to the level of usage to the customers based on their needs and demands, also known as the pay-as-you-go or pay-as-per-use model.
- If the need is more, more quantum computing resources are made available (provisioning with elasticity) by the provider.
- Minimal management effort implies that at the customer's side, the maintenance of computing systems is very minimal as they will have to look at these tasks only for their local computing devices used for accessing cloud-based resources, not for those computing resources managed at the provider's side.
- This cloud model is composed of five essential characteristics, three service models, and four deployment models.

Cloud Computing is a Service

- The simplest thing that any computer does is allow us to store and retrieve information.
- We can store our family photographs, our favorite songs, or even save movies on it, which is also the most basic service offered by cloud computing.
- Let us look at the example of a popular application called Flickr to illustrate the meaning of this section.
- While Flickr started with an emphasis on sharing photos and images, it has emerged as a great place to store those images.

Cloud Computing is a Service

- In many ways, it is superior to storing the images on your computer:
 1. First, Flickr allows us to easily access our images no matter where we are or what type of device we are using. While we might upload the photos of our vacation from our home computer, later, we can easily access them from our laptop at the office.
 2. Second, Flickr lets us share the images. There is no need to burn them to a CD or save them on a flash drive. We can just send someone our Flickr address to share these photos or images.
 3. Third, Flickr provides data security. By uploading the images to Flickr, we are providing ourselves with data security by creating a backup on the web. And, while it is always best to keep a local copy—either on a computer, a CD, or a flash drive—the truth is that we are far more likely to lose the images that we store locally than Flickr is of losing our images.

Cloud Computing is a Service

Cloud Service Models:

• **Service Models** are the reference models on which the Cloud Computing is based. These can be categorized into three basic service models as listed below:

1. Infrastructure as a Service (IaaS)

2. Platform as a Service (PaaS)

3. Software as a Service (SaaS)



Cloud Computing is a Service

- **Infrastructure as a Service (IaaS)**
- IaaS refers to providing the complete access to the servers operating system. Typically, IaaS provides hardware, storage, servers and data center space or network components, it may also include software.
- IaaS gives users automated and scalable environments with extreme flexibility and control.
- Eg: EC2(Elastic Compute cloud)
- Usually billed based on usage
- Usually multi tenant virtualized environment
- Can be coupled with Managed Services for OS and application support

Cloud Computing is a Service

- **Platform as a Service (PaaS)**

- In PaaS, one does not get access to the whole operating system. Rather access is given at a Dashboard level, where a user uploads the data and the rest is taken care by the cloud provider.
- Eg: Elastic Beanstalk
- PaaS provides a framework for quickly developing and deploying applications by automating infrastructure provisioning and management.
- PaaS provides all of the facilities required to support the complete life cycle of building and delivering web applications and services entirely from the Internet.
- Multi tenant environments
- Highly scalable multi tier architecture

Cloud Computing is a Service


- **Software as a Service (SaaS)**
- SaaS refers to the practice of directly providing the software to the customer, without making any server or dashboard available to them.
- Eliminating the need to install and run programs on individual devices. SaaS makes applications available through the internet.
- Eg: Facebook, GoogleDocs, Netflix
- Usually billed based on usage
- Usually multi tenant environment
- Highly scalable architecture

Cloud Computing is a Service

- Examples of IaaS, PaaS, SaaS




Cloud Computing is a Service



Cloud Computing is a Service

Pizza as a Service



Cloud Computing Is a Platform

- The World Wide Web (WWW) can be considered as the operating system for all our Internet-based applications.
- However, one has to understand that we will always need a local operating system in our computer to access web based applications.
- The basic meaning of the term platform is that it is the support on which applications run or give results to the users.
- For example, Microsoft Windows is a platform. But, a platform does not have to be an operating system. Java is a platform even though it is not an operating system.

Cloud Computing Is a Platform


- Through cloud computing, the web is becoming a platform.
- With trends (applications) such as Office 2.0, more and more applications that were originally available on desktop computers are now being converted into web—cloud applications.
- Word processors like Buzzword and office suites like Google Docs are now available in the cloud as their desktop counterparts.
-
- All these kinds of trends in providing applications via the cloud are turning cloud computing into a platform or to act as a platform.

5-4-3 Principles of Cloud computing

The 5-4-3 principles put forth by NIST describe

- (a) the five essential characteristic features that promote cloud computing,
- (b) the four deployment models that are used to narrate the cloud computing opportunities for customers while looking at architectural models, and
- (c) the three important and basic service offering models of cloud computing.

5-4-3 Principles of Cloud computing



5-4-3 Principles of Cloud computing

Cloud computing has five essential characteristics which are shown in Figure 2.2



FIGURE 2.2

The essential characteristics of cloud computing.

Principles of Cloud computing

Essential, which means that if any of these characteristics is missing, then it is not cloud computing:

- 1. On-demand self-service:** A consumer can unilaterally provision computing capabilities, such as server time and network storage, as needed automatically without requiring human interaction with each service's provider.
- 2. Broad network access:** Capabilities are available over the network and accessed through standard mechanisms that promote use by heterogeneous thin or thick client platforms (e.g., mobile phones, laptops, and personal digital assistants [PDAs]).

Principles of Cloud computing

3. Elastic resource pooling:

- The provider's computing resources are pooled to serve multiple consumers using a multitenant model, with different physical and virtual resources dynamically assigned and reassigned according to consumer demand.
- There is a sense of location independence in that the customer generally has no control or knowledge over the exact location of the provided resources but may be able to specify the location at a higher level of abstraction (e.g., country, state, or data center).
- Examples of resources include storage, processing, memory, and network bandwidth.

5-4-3 Principles of Cloud computing

4. Rapid elasticity:

- Capabilities can be rapidly and elastically provisioned, in some cases automatically, to quickly scale out and rapidly released to quickly scale in. To the consumer, the capabilities available for provisioning often appear to be unlimited and can be purchased in any quantity at any time.

5. Measured service:

- Cloud systems automatically control and optimize resource use by leveraging a metering capability at some level of abstraction appropriate to the type of service (e.g., storage, processing, bandwidth, and active user accounts).
- Resource usage can be monitored, controlled, and reported providing transparency for both the provider and consumer of the utilized service.

Four Cloud Deployment Models


- Deployment models describe the ways with which the cloud services can be deployed or made available to its customers, depending on the organizational structure and the provisioning location.
- One can understand it in this manner too: cloud (Internet)-based computing resources—that is, the locations where data and services are acquired and provisioned to its customers— can take various forms.
- Four deployment models are usually distinguished, namely, public, private, community, and hybrid cloud service usage:

Four Cloud Deployment Models

1. Private cloud:

- A private cloud is an on-demand cloud deployment model in which the cloud computing services and infrastructure are hosted privately within a company's own intranet or data center using proprietary resources.
- Among the three types of cloud computing, private cloud is the most preferred option for organizations due to the additional security it offers.
- Eg: HP Data Centers
- In a private cloud, the cloud computing services and infrastructure are hosted privately within a company's own data center.
- These services are accessible to the personnel of a single organization.
- This type of cloud is managed by internal resources and is not accessible to those outside the organization
- Private clouds are also referred to as enterprise clouds.

PRIVATE CLOUD



Four Cloud Deployment Models

Private cloud providers

- HPE. By most estimates, Hewlett Packard Enterprise (HPE) is a key leader in the **private cloud** market. ...
- VMware. The Wikibon report said that VMware was tied with HP for first place in the true **private cloud** market for 2015 with 7 percent of the market. ...
- Dell. ...
- Oracle. ...
- IBM. ...
- Microsoft. ...
- Cisco. ...
- NetApp.


Four Cloud Deployment Models

2. Public cloud:

The cloud infrastructure is provisioned for open use by the general public.

It may be owned, managed, and operated by a business, academic, or government organization, or some combination of them. It exists on the premises of the cloud provider.

Public Cloud Model



Four Cloud Deployment Models

2. Public cloud:


- Amazon Web Services. Amazon Web Services (AWS) is the undisputed market leader in **cloud computing**. ...
- Microsoft Azure. It's a little more difficult to figure out how much revenue Microsoft generates from **cloud computing**. ...
- Google **Cloud** Platform.
- IBM Cloud. ...



Four Cloud Deployment Models

3. Community cloud:


- The cloud infrastructure is shared by several organizations and supports a specific community that has shared concerns (e.g., mission, security requirements, policy, and compliance considerations).
- It may be managed by the organizations or a third party and may exist on premise or off premise.



Four Cloud Deployment Models

3. Community cloud:

Community Cloud



Four Cloud Deployment Models

4. Hybrid cloud:

- The cloud infrastructure is a composition of two or more distinct cloud infrastructures (private, community, or public) that remain unique entities but are bound together by standardized or proprietary technology that enables data and application portability (e.g., cloud bursting for load balancing between clouds).



Benefits of Cloud Computing

1. **Achieve economies of scale:** We can increase the volume output or productivity with fewer systems and thereby reduce the cost per unit of a project or product.
2. **Reduce spending on technology infrastructure:** It is easy to access data and information with minimal upfront spending in a pay-as-you-go approach, in the sense that the usage and payment are similar to an electricity meter reading in the house, which is based on demand.
3. **Globalize the workforce:** People worldwide can access the cloud with Internet connection.
4. **Streamline business processes:** It is possible to get more work done in less time with less resource.
5. **Reduce capital costs:** There is no need to spend huge money on hardware, software, or licensing fees.

Benefits of Cloud Computing

6. **Pervasive accessibility:** Data and applications can be accessed anytime, anywhere, using any smart computing device, making our life so much easier.
7. **Monitor projects more effectively:** It is possible to confine within budgetary allocations and can be ahead of completion cycle times.
8. **Less personnel training is needed:** It takes fewer people to do more work on a cloud, with a minimal learning curve on hardware and software issues.
9. **Minimize maintenance and licensing software:** As there is no too much of on-premise computing resources, maintenance becomes simple and updates and renewals of software systems rely on the cloud vendor or provider.
10. **Improved flexibility:** It is possible to make fast changes in our work environment without serious issues at stake.

Drawbacks of Cloud Computing

1. The main point in this context is that if we lose our Internet connection, we have lost the link to the cloud and thereby to the data and applications.
2. There is also a concern about security as our entire working with data and applications depend on other's (cloud vendor or providers) computing power.
3. while cloud computing supports scalability (i.e., quickly scaling up and down computing resources depending on the need), it does not permit the control on these resources as these are not owned by the user or customer.
4. Depending on the cloud vendor or provider, customers may face restrictions on the availability of applications, operating systems, and infrastructure options.

Drawbacks of Cloud Computing

5. Sometimes, all development platforms may not be available in the cloud due to the fact that the cloud vendor may not be aware of such solutions.

major barrier to cloud computing is the interoperability of applications, which is the ability of two or more applications that are required to support a business need to work together by sharing data and other business-related resources. Normally, this does not happen in the cloud as these applications may not be available with a single cloud vendor and two different vendors having these applications do not cooperate with each other.

UNIT 3

Cloud Computing Architecture and Management

Contents

- Cloud architecture,
- Layers,
- Anatomy of the Cloud,
- Network Connectivity in Cloud Computing,
- Applications on the Cloud,
- Managing the Cloud,
 - Managing the Cloud Infrastructure
 - Managing the Cloud application,
- Migrating Application to Cloud,
- Phases of Cloud Migration Approaches for Cloud Migration

Introduction

- **Cloud computing is similar to other technologies in a way that it also has several basic concepts that one should learn before knowing its core concepts.**
- **There are several processes and components of cloud computing that need to be discussed.**
- **One of the topics of such prime importance is architecture.**
- **Architecture is the hierarchical view of describing a technology.**
- **This usually includes the components over which the existing technology is built and the components that are dependent on the technology.**


- **Another topic that is related to architecture is anatomy.**
- **Anatomy describes the core structure of the cloud.**
- **Once the structure of the cloud is clear, the network connections in the cloud and the details about the cloud application need to be known.**
- **This is important as the cloud is a completely Internet-dependent technology.**
- **Similarly, cloud management discusses the important management issues and ways in which the current cloud scenario is managed.**
- **It describes the way an application and infrastructure in the cloud are managed.**

- **Management is important because of the quality of service (QoS) factors that are involved in the cloud.**
- **These QoS factors form the basis for cloud computing.**
- **All the services are given based on these QoS factors.**
- **Similarly, application migration to the cloud also plays a very important role.**
- **Not all applications can be directly deployed to the cloud.**
- **An application needs to be properly migrated to the cloud to be considered a proper cloud application that will have all the properties of the cloud.**

Cloud Architecture

- Any technological model consists of an architecture based on which the model functions, which is a hierarchical view of describing the technology.
- The cloud also has an architecture that describes its working mechanism.
- It includes the dependencies on which it works and the components that work over it.
- The cloud is a recent technology that is completely dependent on the Internet for its functioning.

- Cloud architecture.



The cloud architecture can be divided into four layers based on the access of the cloud by the user. They are as follows:

- **Layer 1 (User/Client Layer)**
 - **This layer is the lowest layer in the cloud architecture. All the users or client belong to this layer.**
 - **This is the place where the client/user initiates the connection to the cloud.**
 - **The client can be any device such as a thin client, thick client, or mobile or any handheld device that would support basic functionalities to access a web application.**

- **The thin client here refers to a device that is completely dependent on some other system for its complete functionality.**
- **In simple terms, they have very low processing capability.**
- **Similarly, thick clients are general computers that have adequate processing capability.**
- **They have sufficient capability for independent work.**
- **Usually, a cloud application can be accessed in the same way as a web application.**
- **But internally, the properties of cloud applications are significantly different.**
- **Thus, this layer consists of client devices.**

- **Layer 2 (Network Layer)**

- **This layer allows the users to connect to the cloud.**
- **The whole cloud infrastructure is dependent on this connection where the services are offered to the customers.**
- **This is primarily the Internet in the case of a public cloud.**
- **The public cloud usually exists in a specific location and the user would not know the location as it is abstract.**
- **And, the public cloud can be accessed all over the world.**
- **In the case of a private cloud, the connectivity may be provided by a local area network (LAN).**
- **Even in this case, the cloud completely depends on the network that is used**

- **Usually, when accessing the public or private cloud, the users require minimum bandwidth, which is sometimes defined by the cloud providers.**
- **This layer does not come under the purview of service-level agreements (SLAs), that is, SLAs do not take into account the Internet connection between the user and cloud for quality of service (QoS).**
- **Layer 3 (Cloud Management Layer)**
- **This layer consists of software's that are used in managing the cloud.**
- **The software's can be a cloud operating system (OS), a software that acts as an interface between the data center (actual resources) and the user, or a management software that allows managing resources.**

- **These software's usually allow resource management (scheduling, provisioning, etc.), optimization (server consolidation, storage workload consolidation), and internal cloud governance.**
- **This layer comes under the purview of SLAs, that is, the operations taking place in this layer would affect the SLAs that are being decided upon between the users and the service providers.**
- **Any delay in processing or any discrepancy in service provisioning may lead to an SLA violation.**
- **As per rules, any SLA violation would result in a penalty to be given by the service provider.**
- **These SLAs are for both private and public clouds**
- **Popular service providers are Amazon Web Services (AWS) and Microsoft Azure for public cloud.**
- **Similarly, OpenStack and Eucalyptus allow private cloud creation, deployment, and management.**

- **Layer 4 (Hardware Resource Layer)**


- **Layer 4 consists of provisions for actual hardware resources.**
- **Usually, in the case of a public cloud, a data center is used in the back end.**
- **Similarly, in a private cloud, it can be a data center, which is a huge collection of hardware resources interconnected to each other that is present in a specific location or a high configuration system.**
- **This layer comes under the purview of SLAs.**
- **This is the most important layer that governs the SLAs.**
- **This layer affects the SLAs most in the case of data centers.**
- **Whenever a user accesses the cloud, it should be available to the users as quickly as possible and should be within the time that is defined by the SLAs.**

- **As mentioned, if there is any discrepancy in provisioning the resources or application, the service provider has to pay the penalty.**
 - **Hence, the data center consists of a high-speed network connection and a highly efficient algorithm to transfer the data from the data center to the manager.**
 - **There can be a number of data centers for a cloud, and similarly, a number of clouds can share a data center.**
-
- **Thus, this is the architecture of a cloud.**
 - **The layering is strict, and for any cloud application, this is followed.**
 - **There can be a little loose isolation between layer 3 and layer 4 depending on the way the cloud is deployed.**

Anatomy of the Cloud

- **Cloud anatomy can be simply defined as the structure of the cloud.**
- **Cloud anatomy cannot be considered the same as cloud architecture.**
- **It may not include any dependency on which or over which the technology works, whereas architecture wholly defines and describes the technology over which it is working.**
- **Architecture is a hierarchical structural view that defines the technology as well as the technology over which it is dependent or/and the technology that are dependent on it.**
- **Thus, anatomy can be considered as a part of architecture.**

- The basic structure of the cloud is described in Figure 3.2, which can be elaborated, and minute structural details can be given.
- Figure 3.2 depicts the most standard anatomy that is the base for the cloud.



- **There are basically five components of the cloud:**
 1. **Application**: The upper layer is the application layer. In this layer, any applications are executed.
 2. **Platform**: This component consists of platforms that are responsible for the execution of the application. This platform is between the infrastructure and the application.
 3. **Infrastructure**: The infrastructure consists of resources over which the other components work. This provides computational capability to the user.
 4. **Virtualization**: Virtualization is the process of making logical components of resources over the existing physical resources. The logical components are isolated and independent, which form the infrastructure.
 5. **Physical hardware**: The physical hardware is provided by server and storage units.

Network Connectivity in Cloud Computing

- Cloud computing is a technique of resource sharing where servers, storage, and other computing infrastructure in multiple locations are connected by networks.
- In the cloud, when an application is submitted for its execution, needy and suitable resources are allocated from this collection of resources; as these resources are connected via the Internet, the users get their required results.
- For many cloud computing applications, network performance will be the key issue to cloud computing performance.
- Since cloud computing has various deployment options, we now consider the important aspects related to the cloud deployment models and their

Public Cloud Access Networking

- In this option, the connectivity is often through the Internet, though some cloud providers may be able to support virtual private networks (VPNs) for customers.
- Accessing public cloud services will always create issues related to security, which in turn is related to performance.
- One of the possible approaches toward the support of security is to promote connectivity through encrypted tunnels, so that the information may be sent via secure pipes on the Internet.
- This procedure will be an overhead in the connectivity, and using it will certainly increase delay and may impact performance.

- **If we want to reduce the delay without compromising security, then we have to select a suitable routing method such as the one reducing the delay by minimizing transit hops in the end-to-end connectivity between the cloud provider and cloud consumer.**

Private Cloud Access Networking

- **In the private cloud deployment model, since the cloud is part of an organizational network, the technology and approaches are local to the in-house network structure.**
- **This may include an Internet VPN or VPN service from a network operator.**
- **If the application access was properly done with an organizational network—connectivity in a precloud configuration—transition to private cloud computing will not affect the access performance.**

Public Intracloud Networking

- **Another network connectivity consideration in cloud computing is intracloud networking for public cloud services.**
- **Here, the resources of the cloud provider and thus the cloud service to the customer are based on the resources that are geographically apart from each other but still connected via the Internet.**
- **Public cloud computing networks are internal to the service provider and thus not visible to the user/customer;**
- **however, the security aspects of connectivity and the access mechanisms of the resources are important.**
- **Another issue to look for is the QoS in the connected resources worldwide.**
- **Most of the performance issues and violations from these are addressed in the SLAs commercially**

Private Intracloud Networking

- The most complicated issue for networking and connectivity in cloud computing is private intracloud networking.
- Private intracloud networking is usually supported over connectivity between the major data center sites owned by the company.
- All cloud computing implementations will rely on intracloud networking to link users with the resource to which their application was assigned.

- **Once the resource linkage is made, the extent to which intracloud networking is used depends on whether the application is componentized based on service-oriented architecture (SOA) or not, among multiple systems.**
- **If the principle of SOA is followed, then traffic may move between components of the application, as well as between the application and the user.**
- **The performance of those connections will then impact cloud computing performance overall.**

Path for Internet Traffic

- **The traditional Internet traffic through a limited set of Internet gateways poses performance and availability issues for end users who are using cloud-based applications.**
- **It can be improved if a more widely distributed Internet gateway infrastructure and connectivity are being supported for accessing applications, as they will provide lower-latency access to their cloud applications.**
- **As the volume of traffic to cloud applications grows, the percentage of the legacy network's capacity in terms of traffic to regional gateways increases.**
- **Applications such as video conferencing would hog more bandwidth while mission-critical applications such as ERP will consume less bandwidth, and hence, one has to plan a correct connectivity and path between providers and consumers.**

Applications on the Cloud

- The power of a computer is realized through the applications.
- There are several types of applications. STAND-ALONE APPLICATION:
 - The first type of applications that was developed and used was a stand-alone application.
 - A stand-alone application is developed to be run on a single system that does not use network for its functioning.
 - These stand-alone systems use only the machine in which they are installed.
 - The functioning of these kinds of systems is totally dependent on the resources or features available within the system.

- **These systems do not need the data or processing power of other systems; they are self-sustaining.**
- **But as the time passed, the requirements of the users changed and certain applications were required, which could be accessed by other users away from the systems.**
- **This led to the inception of web application. WEB APPLICATION:**
- **The web applications were different from the stand-alone applications in many aspects.**
- **The main difference was the client server architecture that was followed by the web application.**
- **Unlike stand-alone applications, these systems were totally dependent on the network for its working.**

- Here, there are basically two components, called as the client and the server.
- The server is a high-end machine that consists of the web application installed.
- This web application is accessed from other client systems.
- The client can reside anywhere in the network.
- It can access the web application through the Internet.
- This type of application was very useful, and this is extensively used from its inception and now has become an important part of day-to-day life.

- Though this application is much used, there are shortcomings as discussed in the following:
 - The web application is not elastic and cannot handle very heavy loads, that is, it cannot serve highly varying loads.
 - The web application is not multitenant.
 - The web application does not provide a quantitative measurement of the services that are given to the users, though they can monitor the user.
 - The web applications are usually in one particular platform.
 - The web applications are not provided on a pay-as-you-go basis; thus, a particular service is given to the user for permanent or trial use and usually the timings of user access cannot be monitored.
 - Due to its non-elastic nature, peak load transactions cannot be handled

- Primarily to solve the previously mentioned problem, the cloud applications were developed.
- Figure 3.3 depicts the improvements in the applications.




FIGURE 3.3
Computer application evolution.

CLOUD APPLICATION:

- The cloud as mentioned can be classified into three broad access or service models, Software as a Service (SaaS), Platform as a Service (PaaS), and Infrastructure as a Service (IaaS).

- Cloud

- A cloud unique A cloud but its

- According to NIST, the features that make cloud applications unique are described in the following (Figure 3.4 depicts the features of a cloud application):




FIGURE 3.4
Features of cloud.

1. Multitenancy:

- **Multitenancy is one of the important properties of cloud that make it different from other types of application in which the software can be shared by different users with full independence.**
 - **Here, independence refers to logical independence.**
 - **Each user will have a separate application instance and the changes in one application would not affect the other.**
 - **There are no restrictions in the number of applications being shared.**
 - **Web application and cloud application are similar as the users use the same way to access both.**

- Figure 3.5 depicts a multitenant application where several users share the same application




FIGURE 3.5
Multitenancy.

2. Elasticity:

- Elasticity is also a unique property that enables the cloud to serve better.
- According to Herbst et al. , elasticity can be defined as the degree to which a system is able to adapt to workload changes by provisioning and deprovisioning resources in an autonomic manner such that at each point in time, the available resources match the current demand as closely as possible.
- Elasticity allows the cloud providers to efficiently handle the number of users, from one to several hundreds of users at a time.
- In addition to this, it supports the rapid fluctuation of loads, that is, the increase or decrease in the number of users and their usage can rapidly change.

3. Heterogeneous cloud platform:

- The cloud platform supports heterogeneity, wherein any type of application can be deployed in the cloud.
- Because of this property, the cloud is flexible for the developers, which facilitates deployment.
- The applications that are usually deployed can be accessed by the users using a web browser.

4. Quantitative measurement:

- The services provided can be quantitatively measured. The user is usually offered services based on certain charges.
- Here, the application or resources are given as a utility on a pay-per-use basis.
- Thus, the use can be monitored and measured.
- Not only the services are measureable, but also the link usage and several other parameters that support cloud applications can be measured.
- This property of measuring the usage is usually not available in a web application and is a unique feature for cloud-based applications.

5.On-demand service:

- **The cloud applications offer service to the user, on demand, that is, whenever the user requires it.**
- **The cloud service would allow the users to access web applications usually without any restrictions on time, duration, and type of device used.**
- **The previously mentioned properties are some of the features that make cloud a unique application platform.**
- **These properties mentioned are specific to the cloud hence making it as one of the few technologies that allows application developers to suffice the user's needs seamlessly without any disruption.**

Managing the Cloud

- Cloud management is aimed at efficiently managing the cloud so as to maintain the QoS.
- It is one of the prime jobs to be considered.
- The whole cloud is dependent on the way it is managed.
- Cloud management can be divided into two parts:
 1. Managing the infrastructure of the cloud
 2. Managing the cloud application

1. Managing the Cloud Infrastructure

- **The infrastructure of the cloud is considered to be the backbone of the cloud.**
- **This component is mainly responsible for the QoS factor.**
- **If the infrastructure is not properly managed, then the whole cloud can fail and QoS would be adversely affected.**
- **The core of cloud management is resource management.**
- **Resource management involves several internal tasks such as resource scheduling, provisioning, and load balancing.**
- **These tasks are mainly managed by the cloud service provider's core software capabilities such as the cloud OS that is responsible for providing services to the cloud and that internally controls the cloud.**

- A cloud infrastructure is a very complex system that consists of a lot of resources.
- These resources are usually shared by several users. Poor resource management may lead to several inefficiencies in terms of performance, functionality, and cost.

PERFORMANCE

- If a resource is not efficiently managed, the performance of the whole system is affected.
- Performance is the most important aspect of the cloud, because everything in the cloud is dependent on the SLAs and the SLAs can be satisfied only if performance is good.

FUNCTIONALITY

- Similarly, the basic functionality of the cloud should always be provided and considered at any cost.
- Even if there is a small discrepancy in providing the functionality, the whole purpose of maintaining the cloud is futile.
- A partially functional cloud would not satisfy the SLAs.

- **COST**

- **Lastly, the reason for which the cloud was developed was cost.**
- **The cost is a very important criterion as far as the business prospects of the cloud are concerned.**
- **On the part of the service providers, if they incur less cost for managing the cloud, then they would try to reduce the cost so as to get a strong user base.**
- **Hence, a lot of users would use the services, improving their profit margin.**
- **Similarly, if the cost of resource management is high, then definitely the cost of accessing the resources would be high and there is never a lossy business from any organization and so the service provider would not bear the cost and hence the users have to pay more.**
- **Similarly, this would prove costly for service providers as they have a high chance of losing a wide user base, leading to only a marginal growth in the industry.**

- And, competing with its industry rivals would become a big issue.
- Hence, efficient management with less cost is required.
- At a higher level, other than these three issues, there are few more issues that depend on resource management.
- These are power consumption and optimization of multiple objectives to further reduce the cost.
- To accomplish these tasks, there are several approaches followed, namely, consolidation of server and storage workloads.
- Consolidation would reduce the energy consumption and in some cases would increase the performance of the cloud.
- According to Margaret Rouse , server consolidation by definition is an approach to the efficient usage of

- The previously discussed prospects are mostly suitable for IaaS.
- Similarly, there are different management methods that are followed for different types of service delivery models.
- Each of the type has its own way of management. All the management methodologies are based on load fluctuation.
- Load fluctuation is the point where the workload of the system changes continuously.
- This is one of the important criteria and issues that should be considered for cloud applications.
- Load fluctuation can be divided into two types: predictable and unpredictable.
 - Predictable load fluctuations are easy to handle.
- The cloud can be preconfigured for handling such kind of fluctuations.
- Whereas unpredictable load fluctuations are difficult to handle, ironically this is one of the reasons why cloud is preferred by several users.

- **This is as far as cloud management is concerned.**
- **Cloud governance is another topic that is closely related to cloud management.**
- **Cloud governance is different from cloud management.**
- **There are several aspects of cloud governance out of which SLAs are one of the important aspects.**
- **SLAs are the set of rules that are defined between the user and cloud service provider that decide upon the QoS factor.**
- **If SLAs are not followed, then the defaulter has to pay the penalty.**
- **The whole cloud is governed by keeping these SLAs in mind.**

2. Managing the Cloud Application

- **Business companies are increasingly looking to move or build their corporate applications on cloud platforms to improve agility or to meet dynamic requirements that exist in the globalization of businesses and responsiveness to market demands.**
- **But, this shift or moving the applications to the cloud environment brings new complexities.**
- **Applications become more composite and complex, which requires leveraging not only capabilities like storage and database offered by the cloud providers but also third-party SaaS capabilities like e-mail and messaging.**
- **So, understanding the availability of an application requires inspecting the infrastructure, the services it consumes and the upkeep of the application.**

- The composite nature of cloud applications requires visibility into all the services to determine the overall availability and uptime.
- Cloud application management is to address these issues and propose solutions to make it possible to have insight into the application that runs in the cloud, as well as implement or enforce enterprise policies like governance and auditing and environment management while the application is deployed in the cloud.
- These cloud-based monitoring and management services can collect a multitude of events, analyze them, and identify critical information that requires additional remedial actions like adjusting capacity or provisioning new services.
- Additionally, application management has to be supported with tools and processes required for managing other environments that might coexist, enabling efficient operations.

Migrating Application to Cloud

- **Cloud migration encompasses moving one or more enterprise applications and their IT environments from the traditional hosting type to the cloud environment, either public, private, or hybrid.**
- **Cloud migration presents an opportunity to significantly reduce costs incurred on applications.**
- **This activity comprises, of different phases like evaluation, migration strategy, prototyping, provisioning, and testing.**

Phases of Cloud Migration

1.Evaluation:

•Evaluation is carried out for all the components like current infrastructure and application architecture, environment in terms of compute, storage, monitoring, and management, SLAs, operational processes, financial considerations, risk, security, compliance, and licensing needs are identified to build a business case for moving to the cloud.

2.Migration strategy:

- Based on the evaluation, a migration strategy is drawn—a hot plug strategy is used where the applications and their data and interface dependencies are isolated and these applications can be operationalized all at once.
- A fusion strategy is used where the applications can be partially migrated; but for a portion of it, there are dependencies based on existing licenses, specialized server requirements like mainframes, or extensive interconnections with other applications.

3. Prototyping:

- **Migration activity is preceded by a prototyping activity to validate and ensure that a small portion of the applications are tested on the cloud environment with test data setup.**

4. Provisioning:

- **Premigration optimizations identified are implemented. Cloud servers are provisioned for all the identified environments, necessary platform software's and applications are deployed, configurations are tuned to match the new environment sizing, and databases and files are replicated.**
- **All internal and external integration points are properly configured. Web services, batch jobs, and operation and management software are set up in the new environments.**

5. Testing:

- **Postmigration tests are conducted to ensure that migration has been successful.**
- **Performance and load testing, failure and recovery testing, and scale-out testing are conducted against the expected traffic load and resource utilization levels.**

Approaches for Cloud Migration

- The following are the four broad approaches for cloud migration that have been adopted effectively by vendors:

1. Migrate existing applications:

Rebuild or rearchitect some or all the applications, taking advantage of some of the virtualization technologies around to accelerate the work.

But, it requires top engineers to develop new functionality.

This can be achieved over the course of several releases with the timing determined by customer demand.

2. Start from scratch:

Rather than cannibalize sales, confuse customers with choice, and tie up engineers trying to rebuild existing application, it may be easier to start again. Many of the R&D decisions will be different now, and with some of the more sophisticated development environments, one can achieve more even with a small focused working team.

3. Separate company:

- One may want to create a whole new company with separate brand, management, R&D, and sales.
- The investment and internet protocol (IP) may come from the existing company, but many of the conflicts disappear once a new born in the cloud company is established.
- The separate company may even be a subsidiary of the existing company. What is important is that the new company can act, operate, and behave like a cloud-based start-up.

4. Buy an existing cloud vendor:

- ▶ For a large established vendor, buying a cloud-based competitor achieves two things.
- ▶ Firstly, it removes a competitor, and secondly, it enables the vendor to hit the ground running in the cloud space.
- ▶ The risk of course is that the innovation, drive, and operational approach of the cloud-based company are destroyed as it is merged into the larger acquirer.

UNIT-IV

Cloud Service Models

Introduction

- Cloud computing is a model that enables the end users to access the shared pool of resources such as compute, network, storage, database, and application as an on-demand service without the need to buy or own it.
- The services are provided and managed by the service provider, reducing the management effort from the end user side.
- The essential characteristics of the cloud include on-demand self-service, broad network access, resource pooling, rapid

- The National Institute of Standards and Technology (NIST) defines three basic service models, namely, IaaS, PaaS, and SaaS. as shown in Figure 5.1.




FIGURE 5.1

Basic cloud service models.

- The NIST definition of the three basic service models is given as follows:

1. IaaS:

- The ability given to the infrastructure architects to deploy or run any software on the computing resources provided by the service provider.
- Here, the underlying infrastructures such as compute, network, and storage are managed by the service provider.
- Thus, the infrastructure architects are exempted from maintaining the data center or underlying infrastructure.
- The end users are responsible for managing applications that are running on top of the service provider cloud

- Generally, the IaaS services are provided from the service provider cloud data center.
- The end users can access the services from their devices through web command line interface (CLI) or application programming interfaces (APIs) provided by the service providers.
- Some of the popular IaaS providers include Amazon Web Services (AWS), Google Compute Engine, OpenStack, and Eucalyptus.

2.PaaS:

- The ability given to developers to develop and deploy an application on the development platform provided by the service provider.
- Thus, the developers are exempted from managing the development platform and underlying infrastructure.
- Here, the developers are responsible for managing the deployed application and configuring the development environment.

- Generally, PaaS services are provided by the service provider on an on-premise or dedicated or hosted cloud infrastructure.
- The developers can access the development platform over the Internet through web CLI, web user interface (UI), and integrated development environments (IDEs).
- Some of the popular PaaS providers include Google App Engine, Force.com, Red Hat OpenShift, Heroku, and Engine Yard.

3.SaaS:

- The ability given to the end users to access an application over the Internet that is hosted and managed by the service provider.
- Thus, the end users are exempted from managing or controlling an application, the development platform, and the underlying infrastructure.

- Generally, SaaS services are hosted in service provider–managed or service provider–hosted cloud infrastructure.
 - The end users can access the services from any thin clients or web browsers.
 - Some of the popular SaaS providers include Salesforce.com, Google Apps, and Microsoft office 365.
-
- The different cloud service models target different audiences.
 - For example, the IaaS model targets the information technology (IT) architects, PaaS targets the developers, and SaaS targets the end users.
 - Based on the services subscribed, the responsibility of the targeted audience may




FIGURE 5.2

User and service provider responsibilities of cloud service models: (a) IaaS, (b) PaaS, and (c) SaaS.

- In IaaS, the end users are responsible for maintaining the development platform and the application running on top of the underlying infrastructure.
- The IaaS providers are responsible for maintaining the underlying hardware as shown in Figure 5.2a.
- In PaaS, the end users are responsible for managing the application that they have developed. The underlying infrastructure will be maintained by the infrastructure provider as shown in Figure 5.2b.
- In SaaS, the end user is free from maintaining the infrastructure, development platform, and application that they are using.
- All the maintenance will be carried out by the SaaS providers as shown in Figure 5.2c.

- The different service models of cloud computing can be deployed and delivered through any one of the cloud deployment models.
- The NIST defines four different types of cloud deployment models, namely, public cloud, private cloud, community cloud, and hybrid cloud.
- The public cloud is provided for the general public.
- The private cloud is used by an organization for its multiple business units.
- The community cloud is for some group of organization with the same goals.
- The hybrid cloud is any combination of the public, private, and community clouds.




FIGURE 5.3

Deployment and delivery of different cloud service delivery models.

Infrastructure as a Service

- IaaS changes the way that the compute, storage, and networking resources are consumed.
- In traditional data centers, the computing power is consumed by having physical access to the infrastructure. IaaS changes the computing from a physical infrastructure to a virtual infrastructure.
- IaaS provides virtual computing, storage, and network resources by abstracting the physical resources.
- Technology virtualization is used to provide the virtual resources.
- All the virtual resources are given to the virtual machines (VMs) that are configured by the service provider.

- The end users or IT architects will use the infrastructure resources in the form of VMs as shown in Figure 5.4




FIGURE 5.4
Overview of IaaS.

- The targeted audience of IaaS is the IT architect.
- The IT architect can design virtual infrastructure, network, load balancers, etc., based on their needs.
- The IT architects need not maintain the physical servers as it is maintained by the service providers.
- The physical infrastructure can be maintained by the service providers themselves.
- Thus, it eliminates or hides the complexity of maintaining the physical infrastructure from the IT architects.
- A typical IaaS provider may provide the




FIGURE 5.5
Services provided by IaaS providers.

1. **Compute: Computing as a Service** includes virtual central processing units (CPUs) and virtual main memory for the VMs that are provisioned to the end users.
2. **Storage: STaaS** provides back-end storage for the VM images. Some of the IaaS providers also provide the back end for storing files.
3. **Network: Network as a Service (NaaS)** provides virtual networking components such as virtual router, switch, and bridge for the VMs.
4. **Load balancers: Load Balancing as a Service** may provide load balancing capability at the infrastructure layer.

Characteristics of IaaS

- IaaS providers offer virtual computing resources to the consumers on a pay-as-you-go basis.
- IaaS contains the characteristics of cloud computing such as on-demand self-service, broad network access, resource pooling, rapid elasticity, and measured service.
- Apart from all these, IaaS has its own unique characteristics as follows:

1. Web access to the resources:

- The IaaS model enables the IT users to access infrastructure resources over the Internet.
- When accessing a huge computing power, the IT user need not get physical access to the servers.

- Through any web browsers or management console, the users can access the required infrastructure.

2. Centralized management:

- Even though the physical resources are distributed, the management will be from a single place.
- The resources distributed across different parts can be controlled from any management console.
- This ensures effective resource management and effective resource utilization.

3. Elasticity and dynamic scaling:

- IaaS provides elastic services where the usage of resources can be increased or decreased according to the requirements.
- The infrastructure need depends on the load on the application. According to the load, IaaS services can provide the resources.
- The load on any application is dynamic and IaaS services are capable of providing the required services

4. Shared infrastructure:

- IaaS follows a one-to-many delivery model and allows multiple IT users to share the same physical infrastructure.
- The different IT users will be given different VMs. IaaS ensures high resource utilization.

5. Preconfigured VMs:

- IaaS providers offer preconfigured VMs with operating systems (OSs), network configuration, etc. The IT users can select any kind of VMs of their choice.
- The IT users are free to configure VMs from scratch.
- The users can directly start using the VMs as soon as they subscribed to the services.

6. Metered services:

- IaaS allows the IT users to rent the computing resources instead of buying it.
- The services consumed by the IT user will be measured, and the users will be charged by the IaaS providers based on the amount of usage.

Suitability of IaaS

1. Unpredictable spikes in usage:

- When there is a significant spike in usage of computing resources, IaaS is the best option for IT industries.
- When demand is very volatile, we cannot predict the spikes and troughs in terms of demand of the infrastructure.
 - In this situation, we cannot add or remove infrastructure immediately according to the demand in a traditional infrastructure.
 - If there is an unpredictable demand of infrastructure, then it is recommended to use IaaS services.

2. Limited capital investment:

- New start-up companies cannot invest more on buying infrastructure for their business needs.
- And so by using IaaS, start-up companies can reduce the capital investment on hardware. IaaS is the suitable option for start-up companies with less

3. Infrastructure on demand:
- Some organizations may require large infrastructure for a short period of time.
 - For this purpose, an organization cannot afford to buy more on-premise resources.
 - Instead, they can rent the required infrastructure for a specific period of time.
 - IaaS best suits the organizations that look for infrastructure on demand or for a short time period.
- IaaS helps start-up companies limit its capital expenditure.
 - While it is widely used by start-up companies, there are some situations where IaaS may not be the best option.
 - In following situations, IT users should avoid using the IaaS:

1. When regulatory compliance does not allow off-premise hosting:
 - For some companies, its regulation may not allow the application and data to be hosted on third-party off-premise infrastructure.
2. When usage is minimal:
 - When the usage is minimal and the available on-premise infrastructure itself is capable of satisfying their needs.
3. When better performance is required:
 - Since the IaaS services are accessed through the Internet, sometimes the performance might be not as expected due to network latency.
4. When there is a need for more control on physical infrastructure:
 - Some organizations might require physical control over the underlying infrastructure.
 - As the IaaS services are abstracted as virtual resources, it is not possible to have more control on underlying physical infrastructure.

Pros and Cons of IaaS

- Being one of the important service models of cloud computing, IaaS provides lot of benefits to the IT users.
- The following are the benefits provided by IaaS:
 1. Pay-as-you-use model:
 - The IaaS services are provided to the customers on a pay-per-use basis.
 - This ensures that the customers are required to pay for what they have used.
 - This model eliminates the unnecessary spending on buying hardware.
 2. Reduced TCO:
 - Since IaaS providers allow the IT users to rent the computing resources, they need not buy physical hardware for running their business.
 - The IT users can rent the IT infrastructure rather than buy it by spending large amount.
 - IaaS reduces the need for buying hardware resources and thus

3. Elastic resources:

- IaaS provides resources based on the current needs.
- IT users can scale up or scale down the resources whenever they want.
- This dynamic scaling is done automatically using some load balancers.
- This load balancer transfers the additional resource request to the new server and improves application efficiency.

4. Better resource utilization:

- Resource utilization is the most important criteria to succeed in the IT business.
- The purchased infrastructure should be utilized properly to increase the ROI.
- IaaS ensures better resource utilization and provides high ROI for IaaS providers.

5. Supports Green IT:

- In traditional IT infrastructure, dedicated servers are used for different business needs.
 - Since many servers are used, the power consumption will be high.
 - This does not result in Green IT.
 - In IaaS, the need of buying dedicated servers is eliminated as single infrastructure is shared between multiple customers, thus reducing the number of servers to be purchased and hence the power consumption that results in Green IT.
-
- Even though IaaS provides cost-related benefits to small-scale industries, it lacks in providing security to the data.

- The following are the drawbacks of IaaS:

1. Security issues:

- Since IaaS uses virtualization as the enabling technology, hypervisors play an important role.
- There are many attacks that target the hypervisors to compromise it.
- If hypervisors get compromised, then any VMs can be attacked easily.
- Most of the IaaS providers are not able to provide 100% security to the VMs and the data stored on the VMs.

2. Interoperability issues:

- There are no common standards followed among the different IaaS providers.
- It is very difficult to migrate any VM from one IaaS provider to the other.
- Sometimes, the customers might face the vendor lock-in problem.

- Performance issues:
 - IaaS is nothing but the consolidation of available resources from the distributed cloud servers.
 - Here, all the distributed servers are connected over the network.
 - Latency of the network plays an important role in deciding the performance.
 - Because of latency issues, sometimes the VM contains issues with its performance.

Platform as a Service

- PaaS changes the way that the software is developed and deployed.
- In traditional application development, the application will be developed locally and will be hosted in the central location.
- In stand-alone application development, the applications will be developed and delivered as executables.
- Most of the applications developed by traditional development platforms result in a licensing-based software, whereas PaaS changes the application development from local machine to online. PaaS providers provide the development PaaS from the data center.
- The developers can consume the services over the Internet as shown in Figure 5.6.




FIGURE 5.6
Overview of PaaS.

- PaaS allows the developers to develop their application online and also allows them to deploy immediately on the same platform.
- PaaS consumers or developers can consume language runtimes, application frameworks, databases, message queues, testing tools, and deployment tools as a service over the Internet.
- Thus, it reduces the complexity of buying and maintaining different tools for developing an application.
- Typical PaaS providers may provide programming languages, application frameworks, databases, and testing tools as shown in Figure 5.7.
- Some of the PaaS providers also provide build tools, deployment tools, and software load balancers as a service:

1. Programming languages:

- PaaS providers provide a wide variety of programming languages for the developers to develop applications.
- Some of the popular programming languages provided by PaaS vendors are Java, Perl, PHP, Python, Ruby, Scala, Clojure, and Go.

2. Application frameworks:

- PaaS vendors provide application frameworks that simplify the application development.
- Some of the popular application development frameworks provided by a PaaS provider include Node.js, Rails, Drupal, Joomla, WordPress, Django, FF6, Spring

1. Database:

- Since every application needs to communicate with the databases, it becomes a must-have tool for every application.
- PaaS providers are providing databases also with their PaaS platforms.
- The popular databases provided by the popular PaaS vendors are ClearDB, PostgreSQL, Cloudant, Membase, MongoDB, and Redis.

2. Other tools:

- PaaS providers provide all the tools that are required to develop, test, and deploy an application




FIGURE 5.7
Services provided by PaaS providers.

Characteristics of PaaS

- PaaS development platforms are different from the traditional application development platforms.
- The following are the essential characteristics that make PaaS unique from traditional development platforms:

1. All in one:

- Most of the PaaS providers offer services to develop, test, deploy, host, and maintain applications in the same IDE.
- Additionally, many service providers provide all the programming languages, frameworks, databases, and other development-related services that make developers choose from a wide variety of development platforms.

2. Web access to the development platform:

- A typical development platform uses any IDEs for developing applications.
- Typically, the IDE will be installed in the developer's machines.

- But, PaaS provides web access to the development platform
- Using web UI, any developer can get access to the development platform.
- The web-based UI helps the developers create, modify, test, and deploy different applications on the same platform.

3.Offline access:

- A developer may not be able to connect to the Internet for a whole day to access the PaaS services.
- When there is no Internet connectivity, the developers should be allowed to work offline.
- To enable offline development, some of the PaaS providers allow the developer to synchronize their local IDE with the PaaS services.
- The developers can develop an application locally and deploy it online whenever they are connected to the Internet.

- It is very difficult to enable the dynamic scalability for any application developed using traditional development platforms.
- But, PaaS services provide built-in scalability to an application that is developed using any particular PaaS.
- This ensures that the application is capable of handling varying loads efficiently.

5. Collaborative platform:

- Nowadays, the development team consists of developers who are working from different places.
- There is a need for a common platform where the developers can collaboratively work together on the same project.
- Most of the PaaS services provide support for collaborative development.
- To enable collaboration among developers, most of the PaaS providers provide tools for project planning and communication.

- The client tools include CLI, web CLI, web UI, REST API, and IDE.
- The developers can choose any tools of their choice.
- These client tools are also capable of handling billing and subscription management.

Suitability of PaaS

- Most of the start-up SaaS development companies and independent software vendors (ISVs) widely use PaaS in developing an application.
- PaaS technology is getting attention from other traditional software development companies

1. Collaborative development:

- To increase the time to market and development efficiency, there is a need for a common place where the development team and other stakeholders of the application can collaborate with each other.
- Since PaaS services provide a collaborative development environment, it is a suitable option for applications that need collaboration among developers and other third parties to carry out the development process.

2. Automated testing and deployment:

- Automated testing and building of an application are very useful while developing applications at a very short time frame.
- The automated testing tools reduce the time spent in manual testing tools.
- Most of the PaaS services offer automated testing and deployment capabilities.
- The development team needs to concentrate more on development rather than testing and deployment.
- Thus, PaaS services are the best option where there is a need for

3. Time to market:

- The PaaS services follow the iterative and incremental development methodologies that ensure that the application is in the market as per the time frame given.
 - For example, the PaaS services are the best option for application development that uses agile development methodologies.
 - If the software vendor wants their application to be in the market as soon as possible, then the PaaS services are the best option for the development.
-
- PaaS is used widely to accelerate the application development process to ensure the time to market.
 - Most of the start-up companies and ISVs started migrating to the PaaS services.

- Even though it is used widely, there are some situations where PaaS may not be the best option:

1. Frequent application migration:

- The major problem with PaaS services are vendor lock-in.
- Since there are no common standards followed among PaaS providers, it is very difficult to migrate the application from one PaaS provider to the other.

2. Customization at the infrastructure level:

- PaaS is an abstracted service, and the PaaS users do not have full control over the underlying infrastructure.
- There are some application development platforms that need some configuration or customization of underlying infrastructure.
- In these situations, it is not possible to customize the underlying infrastructure with PaaS.
- If the application development platform needs any configuration

3. Flexibility at the platform level:

- PaaS provides template-based applications where all the different programming languages, databases, and message queues are predefined.
- It is an advantage if the application is a generic application.

4. Integration with on-premise application:

- A company might have used PaaS services for some set of applications.
- For some set of applications, they might have used on-premise platforms.
- Since many PaaS services use their own proprietary technologies to define the application stack, it may not match with the on-premise application stack.
- This makes the integration of application hosted in on-premise platform and PaaS platform a difficult job.

Pros and Cons of PaaS

- The main advantage of using PaaS is that it hides the complexity of maintaining the platform and underlying infrastructure.
- This allows the developers to work more on implementing the important functionalities of the application.
- Apart from this, the PaaS has the following benefits:

1. Quick development and deployment:

- PaaS provides all the required development and testing tools to develop, test, and deploy the software in one place.
- Most of the PaaS services automate the testing and deployment process as soon as the developer completes the development.

2. Reduces TCO:

- The developers need not buy licensed development and testing tools if PaaS services are selected.
- Most of the traditional development platforms requires high-end infrastructure for its working, which increases the TCO of the application development company.
- But, PaaS allows the developers to rent the software, development platforms, and testing tools to develop, build, and deploy the application.
- PaaS does not require high-end infrastructure also to develop the application, thus reducing the TCO of the development company.

3. Supports agile software development:

- Nowadays, most of the new-generation applications are developed using agile methodologies.
- Many ISVs and SaaS development companies started adopting agile methodologies for application development.
- PaaS services support agile methodologies that the ISVs and other development companies are looking for.

4. Different teams can work together:

- The traditional development platform does not have extensive support for collaborative development.
- PaaS services support developers from different places to work together on the same project.
- This is possible because of the online common development platform provided by PaaS providers.

5. Ease of use:

- The traditional development platform uses any one of CLI– or IDE– based interfaces for development.
- Some developers may not be familiar with the interfaces provided by the application development platform.
- This makes the development job a little bit difficult.
- But, PaaS provides a wide variety of client tools such as CLI, web CLI, web UI, APIs, and IDEs.
- The developers are free to choose any client tools of their choice.
- Especially, the web UI-based PaaS services increase the usability of the development platform for all types of developers.

6. Less maintenance overhead:

- In on-premise applications, the development company or software vendor is responsible for maintaining the underlying hardware.
- They need to recruit skilled administrators to maintain the servers.
- This overhead is eliminated by the PaaS services as the underlying infrastructure is maintained by the infrastructure providers.
- This gives freedom to developers to work on the application development.

7. Produces scalable applications:

- Most of the applications developed using PaaS services are web application or SaaS application.
- These applications require better scalability on the extra load.
- For handling extra load, the software vendors need to maintain an additional server.
- It is very difficult for a new start-up company to provide extra servers based on the additional load.
- But, PaaS services are providing built-in scalability to the application that is developed using the PaaS platform.

- PaaS provides a lot of benefits to developers when compared to the traditional development environment.
- On the other hand, it contains drawbacks, which are described in the following:

1. Vendor lock-in:

- The major drawback with PaaS providers are vendor lock-in.
- The main reason for vendor lock-in is lack of standards. There are no common standards followed among the different PaaS providers.
- The other reason for vendor lock-in is proprietary technologies used by PaaS providers.
- Most of the PaaS vendors use the proprietary technologies that are not compatible with the other PaaS providers.
- The vendor lock-in problem of PaaS services does not allow the applications to be migrated from one PaaS provider to the other.

2. Security Issues:

- Since data are stored in off-premise third-party servers, many developers are afraid to go for PaaS services.
 - Of course, many PaaS providers provide mechanisms to protect the user data, and it is not sufficient to feel the safety of onpremise deployment.
 - When selecting the PaaS provider, the developer should review the regulatory, compliance, and security policies of the PaaS provider with their own security requirements.
 - If not properly reviewed, the developers or users are at the risk of data security breach.

3.Less flexibility:

- PaaS providers do not give much freedom for the developers to define their own application stack.
- Most of the PaaS providers provide many programming languages, databases, and other development tools.
- But, it is not extensive and does not satisfy all developer needs.
- Only some of the PaaS providers allow developers to extend the PaaS tools with the custom or new programming languages.
- Still most of the PaaS providers do not provide flexibility to the

- Depends on Internet connection:
 - Since the PaaS services are delivered over the Internet, the developers should depend on Internet connectivity for developing the application.
 - Even though some of the providers allow offline access, most of the PaaS providers do not allow offline access.
 - With slow Internet connection, the usability and efficiency of the PaaS platform do not satisfy the developer requirements.

Software as a Service

- SaaS changes the way the software is delivered to the customers. In the traditional software model, the software is delivered as a license-based product that needs to be installed in the end user device.
- Since SaaS is delivered as an on-demand service over the Internet, there is no need to install the software to the end user's devices.
- SaaS services can be accessed or disconnected at any time based on the end user's needs.
- SaaS services can be accessed from any lightweight web browsers on any devices such as laptops, tablets, and smartphones.
- Some of the SaaS services can be accessed from a thin client that does not contain much storage space and cannot run much software like the traditional desktop PCs.
- The important benefits of using thin clients for accessing the SaaS application are as follows: it is less vulnerable to

- A typical SaaS provider may provide business services, social networks, document management, and mail services as shown in Figure 5.8.




FIGURE 5.8

Services provided by SaaS Providers.

1. Business services:

- Most of the SaaS providers started providing a variety of business services that attract start-up companies.
- The business SaaS services include ERP, CRM, billing, sales, and human resources.

2. Social networks:

- Since social networking sites are extensively used by the general public, many social networking service providers adopted SaaS for their sustainability.
- Since the number of users of the social networking sites is increasing exponentially, cloud computing is the perfect match for handling the variable load.

3. Document management:

- Since most of the enterprises extensively use electronic documents, most of the SaaS providers started providing services that are used to create, manage, and track electronic documents.

4. Mail services:

- E-mail services are currently used by many people.
- The future growth in e-mail usage is unpredictable.
- To handle the unpredictable number of users and the load on e-mail services, most of the e-mail providers started offering their services as SaaS services.

Characteristics of SaaS

- SaaS services are different and give more benefits to end users than the traditional software.
- The following are the essential characteristics of SaaS services that make it unique from traditional software:
 1. One to many:
 - SaaS services are delivered as a one-to-many model where a single instance of the application can be shared by multiple tenants or customers

2. Web access:

- SaaS services provide web access to the software.
- It allows the end user to access the application from any location if the device is connected to the Internet.

3. Centralized management:

- Since SaaS services are hosted and managed from the central location, management of the SaaS application becomes easier.
- Normally, the SaaS providers will perform the automatic updates that ensure that each tenant is accessing the most recent version of the application without any user– side updates.

4. Multidevice support:

- SaaS services can be accessed from any end user devices such as desktops, laptops, tablets, smartphones, and thin clients.

5. Better scalability:

- Since most of the SaaS services leverage PaaS and IaaS for its development and deployment, it ensures a better scalability than the traditional software.
- The dynamic scaling of underlying cloud resources makes SaaS applications work efficiently even with varying loads.

6. High availability:

- SaaS services ensure the 99.99% availability of user data as proper backup and recovery mechanisms are implemented at the back end.

7. API integration:

- SaaS services have the capability of integrating with other software or service through standard APIs.

Suitability of SaaS

- SaaS is popular among individuals and start-up companies because of the benefits it provides.
- Most of the traditional software users are looking for SaaS versions of the software as SaaS has several advantages over traditional applications.
- SaaS applications are the best option for the following:

1. On-demand software:

- The licensing-based software model requires buying full packaged software and increases the spending on buying software.
- Some of the occasionally used software does not give any ROI.
- Because of this, many end users are looking for a software that they can use as and when they needed.
- If the end users are looking for on-demand software rather than the licensing-based full-term software, then the SaaS model is the best option.

2. Software for start-up companies:

- When using any traditional software, the end user should buy devices with minimum requirements specified by the software vendor.
- This increases the investment on buying hardware for start-up companies.
- Since SaaS services do not require high-end infrastructure for accessing, it is a suitable option for start-up companies that can reduce the initial expenditure on buying high-end hardware.

3. Software compatible with multiple devices:

- Some of the applications like word processors or mail services need better accessibility from different devices.
- The SaaS applications are adaptable with almost all the devices.

4. Software with varying loads:
- We cannot predict the load on popular applications such as social networking sites.
 - The user may connect or disconnect from applications anytime.
 - It is very difficult to handle varying loads with the traditional infrastructure.
 - With the dynamic scaling capabilities, SaaS applications can handle varying loads efficiently without disrupting the normal behavior of the application.
-
- Most of the traditional software vendors moved to SaaS business as it is an emerging software delivery model that attracts end users.
 - But still many traditional applications do not have its SaaS versions.
 - This implies that SaaS applications may not be the best option for all types of software.

- The SaaS delivery model is not the best option for the applications mentioned in the following:

1. Real-time applications:

- Since SaaS applications depend on Internet connectivity, it may not work better with low Internet speed.
- If data are stored far away from the end user, the latency issues may delay the data retrieval timings.
- Real-time applications require fast processing of data that may not be possible with the SaaS applications because of the dependency on high-speed Internet connectivity and latency issues.

2. Applications with confidential data:

- Data security, data governance, and data compliance are always issues with SaaS applications.
- Since data are stored with third-party service providers, there is no surety that our data will be safe.
- If the stored confidential data get lost, it will make a serious loss to the organization.
- It is not recommended to go for SaaS for applications that handle confidential data.

- Better on-premise application:
- Some of the on-premise applications might fulfill all the requirements of the organization.
- In such situations, migrating to the SaaS model may not be the best option.

Pros and Cons of SaaS

- SaaS applications are used by a wide range of individuals and start-up industries for its cost-related benefits.

1.No client–side installation:

- SaaS services do not require client–side installation of the software.
- The end users can access the services directly from the service provider data center without any installation.
- There is no need of high–end hardware to consume SaaS services.
- It can be accessed from thin clients or any handheld devices, thus reducing the initial expenditure on buying high–end hardware.

2.Cost savings:

- Since SaaS services follow the utility–based billing or pay–as–you–go billing, it demands the end users to pay for what they have used.
- Most of the SaaS providers offer different subscription plans to benefit different customers.
- Sometimes, the generic SaaS services such as word processors are given for
free to the end users.

3.Less maintenance:

- SaaS services eliminate the additional overhead of maintaining the software from the client side.
- For example, in the traditional software, the end user is responsible for performing bulk updates.
- But in SaaS, the service provider itself maintains the automatic updates, monitoring and other maintenance activities of the

4. Ease of access:

- SaaS services can be accessed from any devices if it is connected to the Internet.
- Accessibility of SaaS services is not restricted to any particular devices.
- It is adaptable to all the devices as it uses the responsive web UI.

5. Dynamic scaling:

- SaaS services are popularly known for elastic dynamic scaling.
- It is very difficult for on-premise software to provide dynamic scaling capability as it requires additional hardware.
- Since the SaaS services leverage elastic resources provided by cloud computing, it can handle any type of varying loads without disrupting the normal behavior of the application.

6. Disaster recovery:

With proper backup and recovery mechanisms

- If any server fails, the end user can access the SaaS from other servers.
- It eliminates the problem of single point of failure.
- It also ensures the high availability of the application.

7. Multitenancy:

- Multitenancy is the ability given to the end users to share a single instance of the application.
- Multitenancy increases resource utilization from the service provider side.
- Even though SaaS services are used by many individuals and start-up industries, the adoption from the large industries is very low.
- The major problem with SaaS services is security to the data.

- All companies are worried about the security of their data that are hosted in the service provider data center

- The following are the major problems with SaaS services:

1. Security:

- Security is the major concern in migrating to SaaS application.
- Since the SaaS application is shared between many end users, there is a possibility of data leakage.
- Here, the data are stored in the service provider data center.
- We cannot simply trust some third-party service provider to store our company-sensitive and confidential data.
- The end user should be careful while selecting the SaaS provider to avoid unnecessary data loss.

2. Connectivity requirements:

- SaaS applications require Internet connectivity for accessing it.
- Sometimes, the end user's Internet connectivity might be very slow.
- In such situations, the user cannot access the services with ease.

3. Loss of control:

- Since the data are stored in a third-party and off premise location, the end user does not have any control over the data.
- The degree of control over the SaaS application and data is lesser than the on-premise application.

Other Cloud Service Models

- The basic cloud services such as IaaS, PaaS, and SaaS are widely used by many individual and start-up companies.
- Now, cloud computing becomes the dominant technology that drives the IT world.
- Because of the extensive use of basic cloud services, the end users realize the importance and benefits of specific services such as network, storage, and database.
- The basic cloud service models are the unified models that contain multiple services in it.
- Now, the end users' expectation changed, and they are expecting the individual services to be offered by service providers.
- This makes most of the service providers to think about the separate services that meet end user requirements

- Many service providers already started offering separate services such as network, desktop, database, and storage on demand as given in the following:

1. NaaS:

- It is an ability given to the end users to access virtual network services that are provided by the service provider.
- Like other cloud service models, NaaS is also a business model for delivering virtual network services over the Internet on a pay-per-use basis.
- In on-premise data center, the IT industries spent a lot of money to buy network hardware to manage in-house networks.
- But, cloud computing changes networking services into a utility-based service.
- NaaS allows network architects to create virtual networks, virtual network interface cards (NICs), virtual routers, virtual switches, and other networking components.
- Additionally, it allows the network architect to deploy custom routing protocols and enables the design of efficient in-network services, such as data aggregation, stream processing, and caching.
- Some of the popular services provided by NaaS include virtual private network (VPN), bandwidth on demand (BoD), and

2. Desktop as a Service (DEaaS)

- It is an ability given to the end users to use desktop virtualization without buying and managing their own infrastructure.
- DEaaS is a pay-per-use cloud service delivery model in which the service provider manages the back-end responsibilities of data storage, backup, security, and upgrades.
- The end users are responsible for managing their own desktop images, applications, and security.
- Accessing the virtual desktop provided by the DEaaS provider is device, location, and network independent.
- DEaaS services are simple to deploy, are highly secure, and produce better experience on almost all devices.

3. STaaS

- It is an ability given to the end users to store the data on the storage services provided by the service provider.
- STaaS allows the end users to access the files at any time from any place.
- The STaaS provider provides the virtual storage that is abstracted from the physical storage of any cloud data center.

- STaaS is also a cloud business model that is delivered as a utility.
- Here, the customers can rent the storage from the STaaS provider.
- STaaS is commonly used as a backup storage for efficient disaster recovery.

4.DBaaS

- It is an ability given to the end users to access the database service without the need to install and maintain it.
- The service provider is responsible for installing and maintaining the databases.
- The end users can directly access the services and can pay according to their usage.
- DBaaS automates the database administration process.
- The end users can access the database services through any API or web UIs provided by the service

5. Data as a Service (DaaS)

- It is an ability given to the end users to access the data that are provided by the service provider over the Internet.
- DaaS provides data on demand.
- The data may include text, images, sounds, and videos. DaaS is closely related to other cloud service models such as SaaS and STaaS.
- DaaS can be easily integrated with SaaS or STaaS for providing the composite service.
- DaaS is highly used in geography data services and financial data services.
- The advantages of DaaS include agility, cost effectiveness, and data quality.

6. SECaaS

- It is an ability given to the end user to access the security service provided by the service provider on a pay-per-use basis.
- In SECaaS, the service provider integrates their security

- Generally, the SECaaS includes authentication, antivirus, antimalware/spyware, intrusion detection, and security event management.
- The security services provided by the SECaaS providers are typically used for securing the on– premise or in–house infrastructure and applications.
- Some of the SECaaS providers include Cisco, McAfee, Panda Software, Symantec, Trend Micro, and VeriSign.

UNIT 5

CLOUD SERVICE PROVIDERS




FIGURE 11.2

Google App Engine. (Adapted from <http://rdn-consulting.com/blog/tag/azure/>, accessed January 16, 2014).

AMAZON WEB SERVICES




FIGURE 11.3

AWS. (Adapted from <http://rdn-consulting.com/blog/tag/azure/>, accessed January 16, 2014).

CLOUD MODELS

VIRTUAL MODEL




FIGURE 11.4
Architecture of IBM SmartCloud. (Adapted from Transitioning to IBM smartcloud notes, Smart Cloud White Paper-IBM)